ANNUAL INDEX

Volume 72
1995

Subject

A

Adsorption, Oleic Acid in Rice Hull Ash,
adsorption, 331
Fourier transform infrared reflectance spectroscopy, 331
oleic acid, 331
rice hull ash, 331
silica, 331

Amaranth Seed, Bench-Scale Processing for Oil,
amaranth seed, 1551
amaranth starch, 1551
bench-scale processing, 1551
bran, 1551
collet, 1551
coproduct, 1551
extraction, 1551
extrusion, 1551
perisperm, 1551
separation, 1551

Antioxidant, Effects of Ajowan in Model System,
ajowan, 1215
antioxidants, 1215
natural, 1215

Antioxidant Synergism, Between Butylated Hydroxyanisole and Butylated Hydroxytoluene,
antioxidant synergism, 1565
butylated hydroxyanisole, 1565
butylated hydroxytoluene, 1565
fate of phenoxy radicals involved, 1565
effect of acid, 1565
effect of base, 1565

Arabidopsis thaliana, Triacylglycerols—Analysis and Mass Spectrometry,
acyltransferases, 305
ammonia chemical-ionization–mass spectrometry/mass spectrometry, 305
Arabidopsis thaliana, 305
Brassicaceae, 305
eicosenoic acid, 305
mass spectrometry, 305
stereospecific analysis, 305
triacylglycerols, 305

Arachidonic Acid, Enrichment by Hydrolysis from *Mortierella* with *Candida cylindracea* Lipase,
arachidonic acid, 1323
Candida cylindracea lipase, 1323
enrichment, 1323
fatty acid specificity, 1323
selective hydrolysis, 1323
single-cell oil from *Mortierella*, 1323

Autoxidation, Kinetics for Fatty Acids and Esters,
autoxidation, 547
ethyl docosahexaenoate, 547
ethyl eicosapentaenoate, 547
kinetics, 547
n-3 unsaturated fatty acid, 547
n-6 unsaturated fatty acid, 547

Avocado Oil Processing, Effects on Unsaponifiables,
avocado oil, 473
furyl derivatives, 473
Lauraceae, 473
mass spectrometry, 473
Persea sp., 473
proton nuclear magnetic resonance, 473
unsaponifiable, 473

Avocado Seed Oil, Characterization of Lysyloxidase Inhibitor,
avocado seed oil, 225
collagen, 225
connective tissue diseases, 225
furan-containing lipids, 225
lysyl oxidase inhibitor, 225
tropoelastin, 225
unsaponifiables, 225

B

Biocatalysis, Synthesis of Chiral Pharmaceutical Intermediates,
anticholesterol drug, 1247
biocatalysis, 1247
chiral intermediates, 1247
potassium channel opener, 1247
taxol side-chain synthon, 1247
thromboxane A_2 antagonist, 1247

Biodiesel, Storage Stability,
biodiesel, 699
fuel, 699
oxidation, 699
peroxide, 699
stability, 699
storage, 699

Biodiesel, Use of Branched-Chain Esters To Reduce Crystallization Temperature of,
biodiesel, 1155
branched-chain esters, 1155
2-butyl esters, 1155
cloud point, 1155
crystallization, 1155
differential scanning calorimetry, 1155
isopropyl esters, 1155
pour point, 1155
soydiesel, 1155

Biota orientalis Seed Oil, Enzymatic Enrichment of C_{20} *cis*-5 Acids from,
enrichment, 245
enzymatic, 245
fatty acid selectivity, 245
lipase, 245
polyunsaturated fatty acids, 245

Bleaching, Performance of Rice Hull Adsorbents During Commerical Bleaching of Soybean Oil,

Copyright © 1995 by AOCS Press

adsorbents, 459
bleaching, 459
rice hull ash, 459
rice hull silica, 459
surface area, 459
Borage Oil, γ-Linolenic Acid from Lipases,
borage oil, 417
fatty acid selectivity, 417
Geotrichum candidum, 417
immobilization, 417
γ-linolenic acid, 417
lipase, 417
Browning Reactions, Natural Antioxidants Produced in Lipid/Amino Acid Reactions,
antioxidative activity, 1571
butylated hydroxytoluene, 1571
nonenzymatic browning reactions, 1571
oxidative stress, 1571
oxidized lipid/amino acid reactions, 1571
propyl gallate, 1571
Rancimat, 1571
1-substituted pyrroles, 1571
thiobarbituric acid reactive substances, 1571
Butter Oil, Crystallization and Separation by Filter Centrifugation,
butter oil, 449
crystallization, 449
filter-centrifugation, 449
fraction, 449
fractionation, 449
Butter Oil, Filtration of in Hydrophoric Media, Evidence of Molecular Selection,
butter oil, 1139
crossflow filtration, 1139
filtration, 1139
hydrophobic media, 1139
triglyceride, 1139
Butter Oil Filtration of in Hydrophobic Media, Triglyceride Partition Phenomena,
butter oil, 1143
filtration, 1143
hydrophobic media, 1143
solid fat content, 1143
tangential filtration, 1143
triglycerides, 1143
Butterfat/Tripalmitin Mixtures, Crystal Morphology,
edible films, 693
mixed crystals, 693
polarizing light microscopy, 693
thin films, 693
triglycerides, 693

C

Camelina sativa Seed Oil, Composition of,
Camelina, 309
false flax, 309
fatty acid, 309
β-glucan, 309
tocopherol, 309
tocotrienol, 309
trypsin inhibitor, 309
Canola Dehulling, Hydrothermal Treatments,
chemical composition, 597
conditioning, 597
dehulling, 597
drying, 597
hydrothermal, 597
physical properties, 597
rapeseed, 597
Canola Oil Sediment, Solvent Effects on Phase Transition Behavior,
calorimetry, 603
canola oil sediment, 603
melting and crystallization temperatures, 603
solvent crystallization, 603
Capillary Column Injection, a Technique for Avoiding Sample Discrimination,
avoidance of sample discrimination, 995
capillary gas chromatography, 995
fatty acid methyl esters, 995
high accuracy, 995
manual injection, 995
Carbonyl Compounds, Analysis by Quinoidal Ion Method,
absorbance, 385
aldehyde, 385
carbonyl, 385
2,4-dinitrophenylhydrazine, 385
quinoidal ion, 385
spectroscopic analysis, 385
Castor Oil–Oleic Acid Reaction, Kinetics and Mechanism of $CoCl_2$ Esterfication,
castor oil, 891
cobalt chloride, 891
esterification, 891
kinetics, 891
Lewis acid catalysts, 891
mechanism, 891
oleic acid, 891
Castor Oil, Reaction Rates During Dehydration Hydrogenation,
castor oil, 1033
simultaneous hydrogenation and dehydration, 1033
solid fat from castor oil, 1033
Catfish, Cholesterol, and Fat Content of North Carolina Farm-Raised,
catfish, 1583
cholesterol, 1583
fat, 1583
feed, 1583
high-performance liquid chromatography, 1583
Cercosporin Production, Genetic Regulation in *Cercospora kikuchii*,
Cercospora kikuchii, 1435
cercosporin, 1435
fungal pathogens, 1435
Glycine max, 1435
molecular genetics, 1435
mycotoxin, 1435
regulation, 1435
seed quality, 1435
soybean, 1435
weather damage, 1435
Chia (*Salvia hispanica* L.) Oil Content and Composition from Argentina,
Argentina, 1079
chia, 1079
fatty acids, 1079
linolenic acid, 1079
location influence, 1079
new crops, 1079
oil, 1079
polyunsaturated, 1079
Salvia, 1079
temperature influence, 1079
Cocoa Butter, Characterization of Simple Lipids in Rapid and Slow Nucleating Butters and Their Seed Crystals,
cocoa butter, 1491
dynamic crystallization, 1491
lipid composition, 1491

nucleation, 1491
seed crystal, 1491
Cocoa Butter, Morphological, Thermal, and Chemical Characteristics During Crystal Growth,
cocoa butter, 1497
chemical composition, 1497
crystal growth, 1497
morphology, 1497
thermal properties, 1497
Cocoa Butter, Stereospecific Analysis of Monounsaturated Triacylglycerols,
chiral-phase high-performance liquid chromatography, 1203
cocoa butter, 1203
priority factor, 1203
stereospecific analysis, 1203
triacylglycerols, 1203
Cocoa Fat, Enzyme-Assisted Aqueous Extraction of,
aqueous extraction, 1409
cocoa fat, 1409
enzyme-assisted, 1409
rural process, 1409
Coconut, Biochemical and Cytochemical Transformations in Germinating Seedlings,
catalase, 1385
coconut, 1385
free fatty acids, 1385
germination, 1385
glyoxylate cycle, 1385
glyoxysomes, 1385
haustorium, 1385
isocitrate lyase, 1385
lipase, 1385
malate synthase, 1385
sugars, 1385
triacylglycerols, 1385
Coconut, Deposition of Triglycerides During Germination,
coconut, 647
germination, 647
haustorium, 647
lipids, 647
transformation, 647
translocation, 647
triacylglycerol, 647
Cod Liver Oil, Antioxidants by Chemiluminescence and Rancimat Method,
antioxidant evaluation, 553
autoxidation, 553
chemiluminescence, 553
cod liver oil, 553
lecithin, 553
natural antioxidants, 553
Rancimat, 553
rosemary, 553
sage, 553
sensory, 553
tocopherol, 553
Cod Liver Oil, Concentration and Purification of Long-Chain Acids by Marine Microalga *Isochrysis galbana*,
cod liver oil, 575
docosahexaenoic acid, 575
eicosapentaenoic acid, 575
high-performance liquid chromatography purification, 575
microalgae, 575
stearidonic acid, 575
urea inclusion method, 575
Cod Liver Oil, Lipase-Catalyzed Alcoholysis in Supercritical Carbon Dioxide,
enzyme, 399
fish oil, 399
lipase, 399
supercritical carbon dioxide, 399
Coincya (Brassicaceae), Sterol Composition of,
Brassicaceae, 493
Coincya, 493
sterol composition, 493
Corn Breeding, Fatty Acid Composition of Oil from Adapted Materials,
adapted corn breeding materials, 981
corn oil, 981
environmental differences, 981
fatty acid composition, 981
genetic differences, 981
oil content, 981
protein content, 981
starch content, 981
Corn Breeding, Fatty Acid Composition of Oil from Exotic Materials,
corn breeding materials, 989
corn oil, 989
fatty acid composition, 989
genetic differences, 989
Latin American Maize Project, 989
Cottonseed Extraction, Alternative Hydrocarbon Solvents,
alternative solvents, 653
cottonseed, 653
cyclohexane, 653
cyclopentane, 653
extraction, 653
extraction efficiency and rate, 653
heptane, 653
hexane, 653
hydrocarbon solvents, 653
isohexane, 653
miscella, 653
miscella concentration, 653
neohexane, 653
Cottonseed Extraction, Laboratory Study with Hexane and Heptane,
cottonseed, 963
extraction, 963
heptane, 963
hexane, 963
solvents, 963
Cottonseed Extraction, Plant Trials with Alternative Hydrocarbon Solvents,
alternative solvents, 661
cottonseed, 661
expander–solvent, 661
extraction, 661
heptane, 661
hexane, 661
isohexane, 661
miscella, 661
miscella refining, 661
Cottonseed Oil, Comparison of Visual and Automatic Colorimeters for Refined and Bleached Color,
automated colorimeter, 455
cottonseed oil, 455
Lovibond, 455
visual color, 455
Wesson method, 455
Cream, Heat Treatment of, Model of Butter Texture in Relation with Triglyceride Composition,
butter, 163
cream, 163
crystallization, 163
fatty acid, 163
mixed crystal, 163
texture, 163
thermal treatment, 163

triglyceride, 163
Cyclic Fatty Acid Monomers, Structures, Ring Sizes, Double Bond Position, and Configuration,
cyclic fatty acid monomers, 721
double bond configuration, 721
double bond position, 721
infrared, 721
mass spectrometry, 721
Cyclopropenoid Fatty Acid, Mass Spectra of Derivatives,
cyclopropenoid fatty acids, 389
4,4-dimethyloxazoline derivatives, 389
gas chromatography/mass spectrometry, 389
methoxymethyl olefin derivatives, 389

D

Damaged Soybeans, Reevaluation of Grading Standards and Discounts for Fungus-Damaged Seeds,
Alternaria, 1415
Cercospora, 1415
fungal damage, 1415
Fusarium, 1415
Glycine max, 1415
grading standards, 1415
Phomopsis, 1415
seed discoloration, 1415
seed quality, 1415
soybean, 1415
Diesel Fuel, Effects of Fatty Acid Derivatives on Ignition and Cold Flow Properties,
biodiesel, 433
blending cetane numbers, 433
cold flow properties, 433
fatty alcohols, 433
fatty amides, 433
fatty amines, 433
fatty esters, 433
Diesel Fuel, Low-Temperature Properties of Transesterified Methyl Ester Petroleum Blends,
blends, 895
cloud point, 895
cold-filter plugging point, 895
kinematic viscosity, 895
low-temperature flow test, 895
methyl esters, 895
methyl soyate, 895
methyl tallowate, 895
pour point, 895
Diesel Fuel, Properties of Tallow and Soybean Esters,
fatty acid content, 1557
fuel property, 1557
gas chromatographic analysis, 1557
methyl soyate, 1557
methyl tallowate, 1557
No. 2 diesel fuel, 1557
soybean oil, 1557
tallow, 1557
Dioxiranes, Reactions with Oleochemicals,
chain functionalization, 199
dioxirane, 199
epoxidation, 199
oleic acid, 199
ricinoleic acid, 199
tallow, 199

E

Eicosapentaenoic Acid, Production by *Saprolegnia*,
arachidonic acid, 1545
eicosapentaenoic acid, 1545
Saprolegnia sp., 1545
Emulsifiers, Supercritical Fluid Extraction and Chromatography,
acetylated monoglycerides, 219
decaglycerol decaoleate, 219
emulsifiers, 219
hexaglycerol distearate, 219
lactylated monoglycerides, 219
supercritical fluid chromatography, 219
supercritical fluid extraction, 219
triglycerol mono/dioleate, 219
Emulsions, Water-in-Triglycerides, Effect of Fat Crystals on Stability,
advancing and receding contact angles, 939
emulsifiers, 939
emulsions, 939
fat crystals, 939
food, 939
interfacial tension, 939
oil/water interface, 939
triglycerides, 939
vegetable oils, 939
wetting, 939
Epoxidation, Kinetic Parameters of Two-Phase Model for Soybean Oil,
epoxidized soybean oil, 1161
hydrogen peroxide, 1161
in situ epoxidation, 1161
kinetics, 1161
mass transfer, 1161
model, 1161
reaction, 1161
soybean oil, 1161
two-phase, 1161
Erucic Acid, Isolation from Rapeseed Oil by Lipase Hydrolysis,
Candida rugosa, 213
erucic acid, 213
Geotrichum candidum, 213
lipase, 213
rapeseed oil, 213
Esters, Heats of Vaporization of *n*-Fatty Acids,
boiling points, 1101
densities, 1101
heats of vaporization, 1101
n-alkanes, 1101
n-alkanols, 1101
n-alkyl acetates, 1101
n-fatty acid ethyl esters, 1101
n-fatty acid methyl esters, 1101
solubility parameters, 1101
Estolide, Analysis of in Technical Hydroxylated Fatty Acid from Seed Oils,
9,10-dihydroxy octadecanoic acid, 355
dihydroxy tetrahydrofuran octadecanoic acids, 355
estolides, 355
gel permeation chromatography, 355
hydroxylated fatty acids, 355
Estolides and Their Esters, Synthesis by Lipase and Properties,
esterification, 1309
estolides, 1309
hydroxy fatty acid, 1309
lesquerolic acid, 1309
lipases, 1309
supercritical fluid chromatography, 1309
Estolides, Composition and Structure of *Lesquerella* and Related Species,
densipolic, 559
estolides, 559
^{1}H nuclear magnetic resonance, 559
Heliophilia amplexicaulis, 559
hydroxy acids, 559

lesquerolic and auricolic acids, 559
Lesquerella spp., 559
lipases, 559
Physaria floribunda, 559
Estolides, Methods for Increasing Yields in Batch Reactor,
dimer acids, 671
estolide, 671
meadowfoam oil fatty acids, 671
montmorillonite, 671
oleic acid, 671
Eugenol, Separation and Identification in Cloves by Reversed-Phase High-Performance Liquid Chromatography,
clove alcohol extract, 1231
eugenol, 1231
optimization, 1231
reversed-phase high-performance liquid chromatography, 1231

F

Factice, Preparation from *Putranjiva* Oil,
factice, 391
oil, 391
Putranjiva roxburghii, 391
Fat Crystals, Weak Gels in Oils at Low Temperatures and Their Fractal Nature,
dispersions, 1235
fat crystals, 1235
foods, 1235
fractals, 1235
sedimentation stability, 1235
temperature, 1235
triglycerides, 1235
vegetable oils, 1235
weak gels, 1235
Fat-Soluble Vitamins, Characterization in Edible Oils by Supercritical Fluid Chromatography,
berry pulp oil, 1001
capillary supercritical fluid chromatography, 1001
cloudberry, 1001
fish oil, 1001
mass spectrometry, 1001
milk fat, 1001
sea buckthorn, 1001
seed oil, 1001
tocopherols, 1001
triacylglycerols, 1001
ω3 Fatty Acids, Freshwater Fish from Brazil,
eicosanoids, 1207
fatty acids, 1207
freshwater fish, 1207
lipid composition, 1207
lipids, 1207
Fatty Acids, Sharma Constant and Thermoacoustic Properties,
density, 1537
fatty acids, 1537
Huggin's Parameter, 1537
isochoric temperature coefficient of internal pressure, 1537
isochoric temperature coefficient of volume expansion, 1537
reduced compressibility, 1537
reduced volume, 1537
Sharma constant, 1537
thermoacoustic properties, 1537
volume, 1537
volume expansivity, 1537
Fatty Alcohols, by Hydroxylation of Symmetrical Alkenes with Selenium Dioxide/*tert.* Butylhydroperoxide,
hydroxylation, 1021
nuclear magnetic resonance, 1021
selenium dioxide, 1021
symmetrical alkene, 1021
tert.-butylhydroperoxide, 1021
Fatty Alcohols, Direct Conversion of Tetrahydropyranyl Ethers of Fatty Alcohols,
oxidation, 1083
polyunsaturated fatty acids, 1083
tetrahydropyranyl ethers, 1083
Fatty Esters, Enzymatic Synthesis by Hydrophobic Lipase Immobilized on Polymer Beads,
esterification, 407
hydrophobic, 407
immobilization, 407
immobilized enzyme, 407
lipase modification, 407
selectivity, 407
supports, 407
Food Powders, Fat Encapsulation in Spray-Dried,
crystallization, 171
emulsion, 171
fat encapsulation, 171
fat properties, 171
food powder, 171
lactose, 171
scanning electron microscopy, 171
sodium caseinate, 171
spray drying, 171
Frying Fats, Effect of Surfactants on Interfacial Tension,
alkaline contaminant material, 951
diacylglycerol, 951
fatty acid, 951
frying fat, 951
interfacial tension, 951
monoacylglycerol, 951
phospholipid, 951
soap, 951
surfactant, 951
tensiometer, 951
Frying Fats, Quantitation and Distribution of Altered Fatty Acids in,
dimers, 1171
frying, 1171
high-performance size-exclusion chromatography, 1171
oxidized fatty acids, 1171
oxidized triglycerides, 1171
polar compounds, 1171
polymers, 1171
thermoxidation, 1171
Furanoid Fatty Acids, Origin from Soybean Lacking Lipoxygenase Isoenzymes,
autoxidation, 397
furanoid fatty acids, 397
isotope dilution assay, 397
lipoxygenase, 397
mass spectrometry, 397
rancidity, 397
soybean oil, 397

G

Geranyl Esters, Synthesis by Lipase-Catalyzed Transesterification,
adsorption, 1407
geranyl esters, 1407
immobilization, 1407
lipase, 1407
Pseudomonas sp., 1407
short-chain triacylglycerols, 1407

transesterification, 1407
Ginger, Anti-Inflammatory Antioxidants from, Isolation and Structure of Cassumunarins A, B, and C,
anti-inflammation, 1053
antioxidant, 1053
curcuminoid, 1053
isolation, 1053
structure determination, 1053
Zingiber cassumunar, 1053
Glycerolipids, Preparation of Long-Chain Acids from by Water Mimics,
acidolysis, 421
docosahexaenoic acid, 421
eicosapentaenoic acid, 421
glycerolipids, 421
nonaqueous solvents, 421
phospholipids, 421
transesterification, 421
triglyceride, 421
unsaturated fatty acids, 421
water activity, 421
Glycerolysis, Solvent-Free Enzymatic of Marine Oils,
glycerolysis, 1339
lipase, 1339
marine oils, 1339
monoglyceride, 1339
solidification, 1339
Groundnut Varieties, Effects of Germination on Tannins, Mineral, and Trace Elements Composition,
germination, 477
groundnuts, 477
ionizable iron, 477
phytate phosphorus, 477
soluble zinc, 477
tannins, 477

H

Hydrogenated Vegetable Oils, Analysis of Monoenoic Fatty Acid Distribution by Silver-ion High-Performance Liquid Chromatography,
cis isomers, 571
fats and oils, 571
fatty acids and esters, 571
hydrogenation, 571
isomers, 571
liquid chromatography, 571
silver and silver compounds, 571
trans isomers, 571
unsaturated fatty acids and esters, 571
Hydrogenolysis, Effect of Free Fatty Acids on Reactivity of Copper Catalysts,
catalyst, 1027
copper, 1027
ester, 1027
hydrogenolysis, 1027
lauric acid, 1027
methyl palmitate, 1027
palmitic acid, 1027
reactivity, 1027
silica, 1027
water, 1027
zinc, 1027
Hydroxy Acids, Production by *Flavobacterium* from Unsaturated Fatty Acids,
bioconversion, 1265
Flavobacterium, 1265
hydratase, 1265
hydration, 1265
hydroxy fatty acids, 1265
unsaturated fatty acids, 1265
Hydroxy Fatty Compounds, Allylic Compounds with Δ5-, Δ7-, Δ8-, and Δ10-Unsaturation,
allylic hydroxylation, 703
hydroxy fatty acids, 703
lactonization, 703
nuclear magnetic resonance, 703
Hydroxylated Fatty Acids, Analysis from Plant Oils,
hydroxylated fatty acids, 361
dihydroxy tetrahydrofuran octadecanoic acids, 361
methyl 9,12-dihydroxy-10,13-epoxy octadecanoates, 361
methyl 10,13-dihydroxy-9,12-epoxy octadecanoates, 361
threo-9,10-dihydroxy octadecanoic acid (*threo*-9,10-dihydroxystearic acid), 361

I

Isobaric Vapor, Liquid Equilibrium Data, Heptaldehyde–Methyl Undecenoate System,
heptaldehyde, 395
methyl undecenoate, 395
nonrandom two-liquid model, 395
vapor–liquid equilbrium, 395

K

7-Ketocholesterol, Determination by High-Performance Liquid Chromatography in Foods,
animal fats, 1523
biscuits, 1523
cholesterol, 1523
7-ketocholesterol, 1523
egg noodles, 1523
grated cheese, 1523
high-performance liquid chromatography, 1523
whole milk powder, 1523
oxysterols, 1523
whole-egg powders, 1523

L

Lard, Turbidimetry for Crystalline Fractionation,
crystallization, 585
fractionation, 585
lard, 585
turbidimetry, 585
Lecithin, Hydrophobic Interaction in Purification of Soybean,
acetone, 613
acetone insolubles, 613
extraction, 613
hydrophobic interaction, 613
lecithin, 613
phospholipid/triglyceride mixtures, 613
Lecithin Transesterification, of Soy by Lipase and Phospholipase,
lipase, 1375
phospholipase, 1375
soy lecithin, 1375
transesterification, 1375
Lecithins, Fat Crystal Wetting and Interfacial Tension in Oil-Continuous Emulsions,
adsorption, 205
advancing and receding contact angles, 205
association, 205
fat crystals, 205
food, 205
interfacial tension, 205

lecithins, 205
oil/water interface, 205
phospholipids, 205
vegetable oils, 205
wetting, 205
Lesquerolic Acid, Configurational Purity,
configuration, 1069
^{1}H nuclear magnetic resonance (of diastereomers), 1069
high-performance liquid chromatography (of diastereomers), 1069
lesquerolic acid, 1069
ricinoleic acid, 1069
Linoleic Acid Autoxidation, 9*H*-Xanthene-2,7-Diols as Antioxidants,
antioxidant, 497
cytotoxicity, 497
9*H*-xanthene-2,7-diol, 497
linoleic acid, 497
α-tocopherol, 497
Lipase Activity Determination, a Software Package for Titrimetric Streamlining,
enzyme activity, 1405
lipase, 1405
lipolysis, 1405
macro, 1405
Lipase Biocatalysis, Production of Esters,
alcoholysis, 1293
biocatalysis, 1293
butyl oleate, 1293
Candida rugosa, 1293
enzyme, 1293
esterification, 1293
2-ethyl-1-hexanol, 1293
2-ethyl-1-hexyl ester, 1293
lipase, 1293
rapeseed oil, 1293
Rhizomucor miehei, 1293
transesterification, 1293
Lipase-Catalyzed Esterification, Synthesis of Low-Calorie Triglycerides by Esterification of Monoglycerides,
behenic acid, 1301
caprenin, 1301
caprucin, 1301
erucic acid, 1301
lipase, 1301
monoglyceride, 1301
synthesis, 1301
triglyceride, 1301
Lipase-Catalyzed Reactions, Thia Fatty Acids and Ester Derivatives,
esterification, 1381
hydrolysis, 1381
interesterification, 1381
lipase, 1381
thia fatty acids, 1381
Lipase-Catalyzed Transesterification of Tributyrin, Influence of Salt Hydrates on Acyl Migration,
acyl migration, 533
1,2-diglyceride, 533
salt hydrates, 533
transesterification, 533
Lipase, Factors Affecting Acyltransfer Activity of *Candida parapsilosis* in Aqueous Media,
acyltransferase, 1367
alcoholysis, 1367
Candida parapsilosis, 1367
hydrolysis, 1367
lipase, 1367
Lipase Hydrolysis, Edible Oils by Immobilized Enzymes and Effects of Internal Support Structures,
Candida cylindracea, 1351
edible oil, 1351
hydrolytic activity, 1351
hydrophobic polymer supports, 1351
immobilized lipases, 1351
porosity, 1351
Pseudomonas cepacia, 1351
Rhizomucor miehei, 1351
structural properties, 1351
surface area, 1351
Lipase Hydrolysis of γ-Linolenic Acid-Containing Triacylglycerols, *in vitro*,
borage and evening primrose oils, 625
stereospecificity, 625
synthetic triacylglycerols, 625
Lipase, Hydrolysis of Polyunsaturated Acid-Containing Oil with *Geotrichum candidum*,
enrichment, 1577
fatty acid specificity, 1577
Geotrichum candidum lipase, 1577
glyceride specificity, 1577
polyunsaturated fatty acids, 1577
selective hydrolysis, 1577
Lipase, Interesterification Kinetics in *n*-Hexane,
acidolysis, 511
biocatalyst, 511
fatty acids, 511
interesterification kinetics, 511
modified lipase, 511
palmitic acid, 511
reaction rate constant, 511
stearic acid, 511
triglycerides, 511
Lipase, Invert Emulsion as a Medium for Fungal Lipase Activity,
Candida rugosa lipase, 1361
invert emulsion, 1361
lipase, 1361
Pythium ultimum lipase, 1361
Rhizopus arrhizus lipase, 1361
taurocholic acid, 1361
water-in-oil emulsion, 1361
Lipase, Kinetics of Organic Soluble and Native,
aqueous tetrahydrofuran solution, 1333
didodecyl glucosyl glutamate, 1333
fluorometric high-performance liquid chromatography, 1333
glyceride, 1333
hydrophobicity, 1333
kinetics, 1333
K_m, 1333
lipase, 1333
solvent-soluble lipase, 1333
V_{max}, 1333
Lipase, Large-Scale Immobilization and Application for Sardine Oil Hydrolysis,
antifoam, 1281
cost of enzyme, 1281
docosahexaenoic acid, 1281
eicosapentaenoic acid, 1281
immobilized lipase, 1281
lipolysis, 1281
Pseudomonas fluorescens biotype I, 1281
sardine oil, 1281
scale-up, 1281
Lipase (microbial), Utilization of Acid Oils in Valuable Fatty Products,
acid oil, 1541
alcoholysis, 1541
Candida cylindracea lipase, 1541
column chromatography, 1541

Mucor miehei lipase, 1541
short- and long-chain alcohols, 1541
Lipase from *Rhizomucor miehei*, Specificity for C_{20} and C_{22} Fatty Acids,
docosahexaenoic acid, 239
eicosapentaenoic acid, 239
fatty acid specificity, 239
interesterification, 239
lipase, 239
long-chain monoenoic acid, 239
marine oil fatty acids, 239
organic solvents, 239
reaction kinetics, 239
Rhizomucor miehei, 239
Lipase of *Carica papaya*, Model Chiral Triglycerides Resolve Ambiguity of Short-Chain or *sn*-3 Stereoselectivity,
Carica papaya latex, 753
chiral triglyceride, 753
enzymatic hydrolysis, 753
racemic triglyceride, 753
stereospecificity, 753
typoselectivity, 753
Lipase, Oil and Fat Hydrolysis with *Aspergillus* sp.,
enzyme concentration, 527
enzyme recovery, 527
fatty acids, 527
lipase, 527
lipase activity, 527
lipolysis, 527
oil and fat, 527
percent hydrolysis, 527
reaction time, 527
specificity, 527
Lipid Composition, Ten Edible Seed Species from North Vietnam,
fatty acids, 957
gas chromatography, 957
phospholipids, 957
seed lipids, 957
thin-layer chromatography/flame-ionization detection, 957
triacylglycerols, 957
Lipid Oxidation, Effects of High Pressure,
conjugated diene, 1059
high pressure, 1059
lipid oxidation, 1059
peroxide value, 1059
rancidity, 1059
thiobarbituric acid value, 1059
water activity, 1059
Lipolysis, a Continuous Reactor with Loop Connecting Immobilized Lipase Column and an Oil–Water Separator,
concentration of product, 1329
continuous lipolysis, 1329
immobilized lipase, 1329
integrating bioreactor, 1329
lipase, 1329
lipolysis, 1329
loop reactor, 1329
oil–water separation, 1329
Pseudomonas sp., 1329
Lipoxygenase, Oxidation of Acylglycerols and Phosphoglycerides by Soybean Enzymes,
acylglycerol, 463
deoxycholate, 463
fatty acid, 463
Glycine max, 463
hydroperoxide, 463
lipoxygenase, 463
phosphoglyceride, 463
Lupinus mutabilis Meal, Neutral Lipids of,
amino acid composition, 467
fatty acids, 467
hydrocarbons, 467
isoelectric precipitation, 467
Lupinus mutabilis meal, 467
L. mutabilis neutral lipids, 467
L. mutabilis protein isolates, 467
methyl esters, 467
tri- and diacylglycerols, 467
waxes, 467

M

Margarine and Shortening Oils, Interesterification of Liquid and Solid Triglycerides,
drop melting points, 379
interesterification, 379
margarine oils, 379
shortening oils, 379
solid-fat index, 379
triglycerides, 379
vegetable oils, 379
Margarines, Preparation and Properties of Zero *trans* Soybean Oil Products,
interesterified oil, 383
margarine, 383
oil off test, 383
penetration, 383
pilot plant, 383
solid-fat index, 383
soybean oil, 383
yield values, 383
Margarines, Rheology of,
different water contents, 375
margarine, 375
mathematical model, 375
physical interpretation, 375
rheology, 375
texture, 375
thixotropic behavior, 375
Marine Lipid Triacylglycerols, Distribution by High-Resolution ^{13}C Nuclear Magnetic Resonance,
^{13}C nuclear magnetic resonance spectroscopy, 293
ω3 fatty acids, 293
positional distribution (1,3-acyl and 2-acyl), 293
Methyl Ester Preparation, a Process from Vegetable Oils with Control of Methyl Ester Content,
density measurement, 1399
diesel oil substitute, 1399
esterification, 1399
methyl ester density, 1399
methyl ester determination, 1399
methyl ester viscosity, 1399
vegetable oils, 1399
viscosity measurement, 1399
Methylhepanoate, Anomalous Thermoacoustic Properties of, 1595
Microbial Transformation of 12-Hydroxyoctadecanoic Acid,
Bacillus lentus, 323
corynebacterium, 323
D-(+)-12-hydroxyoctadecanoic acid, 323
D-(+)-12-hydroxystearic acid, 323
γ-decanolactone, 323
4-hydroxydecanoic acid, 323
6-hydroxydodecanoic acid, 323
4-ketodecanoic acid, 323
5-*n*-hexyl-tetrahydrofuran-2-acetic acid, 323
Microemulsions, Mobile Phases in Thin-Layer Chromatography of Anions,

detection, 1533
identification, 1533
inorganic anions, 1533
kieselguhr adsorbent, 1533
microemulsion, 1533
peak height, 1533
periodate determination, 1533
sodium dodecyl sulfate, 1533
separation, 1533
thin-layer chromatography, 1533
Milk Fat, Determination in Chocolate by Gas–Liquid Chromatography,
capillary gas chromatography, 861
chocolate, 861
cocoa butter, 861
fat adulteration, 861
fatty acids and methyl esters, 861
lauric fats, 861
milk fat, 861
triglycerides, 861
Monoacylglycerols, Fatty Acid Vinyl Esters for Enzymatic Synthesis of,
cleavage, 193
diacylglycerol, 193
2,2-dimethyl-1,3-dioxolane-4-methanol, 193
fatty acid vinyl ester, 193
lipase, 193
monoacylglycerol, 193
1,2-O-isopropylidene-*rac*-glycerol, 193
transesterification, 193
Mycotoxins, Regulatory Aspects for Soybeans and Soybean Products,
aflatoxin, 1421
analysis, 1421
mycotoxins, 1421
regulation, 1421
sampling, 1421
soybeans, 1421

N

n-Alkanoic Acids, Thermoacoustic Properties of Methyl Esters,
alkanoic acids, 687
density, 687
Huggins parameter, 687
internal pressure, 687
isochoric temperature coefficient, 687
methyl esters, 687
reduced compressibility, 687
reduced volume, 687
Sharma constant, 687
thermoacoustic properties, 687
volume expansivity, 687
N-Alkyl Chlorides, Effects of Temperature and Chainlength on Density and Molal Volumes,
density, 1227
molal volume, 1227
n-alkyl chlorides, 1227
n-Fatty Acids, Density and Molar Volumes,
densities, 681
densities comparison, 681
density equations, 681
density temperature dependence, 681
homology, 681
limiting densities, 681
molar volumes, 681
n-fatty acids, 681

O

Oil Determination, Method for Without Weighing and Drying by Nuclear Magnetic Resonance,
nondestructive analysis, 1017
oil content, 1017
oilseeds, 1017
pulsed nuclear magnetic resonance, 1017
spin-echo, 1017
Oleyl Oleate, Enzymatic Synthesis in Dense Fluids,
enzymes, 1345
esterification, 1345
lipase, 1345
n-butane, 1345
oleyl oleate, 1345
supercritical carbon dioxide, 1345
Olive Oil Adulteration, Assessment by Reversed-Phase High-Performance Liquid Chromatography and Amperometric Detection,
adulteration, 1505
grapeseed oil, 1505
hazelnut oil, 1505
high-performance liquid chromatography, 1505
olive oil, 1505
palm oil, 1505
soybean oil, 1505
sunflower oil, 1505
tocopherols, 1505
tocotrienols, 1505
vegetable oils, 1505
Olive Oil Detection of Adulteration by Near-Infrared Spectroscopy,
near-infrared spectroscopy, 289
olive oil, 289
principal component analysis, 289
Olive Oil, Effects of Natural Antioxidants on Stability of Refined, Bleached, and Deodorized Oil,
antioxidants, 1131
hexanal, 1131
hydroperoxide decomposition, 1131
hydroperoxide formation, 1131
olive oil, 1131
oxidative stability, 1131
peroxide value, 1131
phenolic compounds, 1131
tocopherols, 1131
Oxidized Soybean Oil, Quantitation of Flavor Volatiles by Dynamic Headspace Analysis,
dynamic headspace, 539
photooxidation, 539
sensory evaluation, 539
soybean oil flavor, 539
volatile quantitation, 539
Ozonolysis of Methyl Oleate, Structures Obtained in a Carboxylic Acid Medium,
1-acyloxyalkyl-1-hydroperoxide, 735
1-acyloxyalkyl-1′-hydroxyalkyl peroxide, 735
high-performance liquid chromatography–mass spectrometry, 735
methyl oleate, 735
nuclear magnetic resonance, 735
oleic acid ozonolysis, 735
1,2,4-trioxolane, 735

P

Palm Kernel Oil, Composition of *Elaeis guineensis*,
composition, 1587
iodine value, 1587
palm kernel oil, 1587
size, 1587
solid fat content, 1587
Palm Olein, Composition of Crystal Formed at Room Temperature,
crystals, 343

1,3-dipalmito-glycerol, 343
high-melting glycerides, 343
1-palmito-3-oleo-glycerol, 343
1-palmito-3-stearo-glycerol, 343
palm olein, 343
Palm Olein, Effects of Epoxidation on Thermal Stability of Fatty Esters from,
epoxidation, 439
fatty acid esters, 439
palm olein, 439
thermal stability, 439
Palm Olein, Enzymatic Transesterification with Nonspecific and Specific 1,3-Lipases,
mechanisms of synthesis, 633
nonspecific lipases, 633
palm olein, 633
1,3-specific lipases, 633
transesterification, 633
tripalmitin synthesis, 633
Palm Olein—Rapeseed Blends, Clarity of,
blends, 443
clarity, 443
cloud point, 443
double-fractionated palm olein, 443
fatty acid composition, 443
fractionation, 443
low-erucic acid rapeseed oil, 443
palm oil, 443
solid-fat content, 443
Palm Oil Diesel Fuels, Dynamometer Evaluation and Engine Wear Characteristics,
diesel engine, 905
engine dynamometer evaluation, 905
engine oil, 905
engine performance, 905
methyl ester, 905
palm oil diesel emulsions, 905
wear characteristics, 905
Palm Oil–Ethene Reaction, Co-Metathesis Reaction of,
co-metathesis, 757
ethene, 757
palm oil, 757
Palm Oil Methyl Esters, Additive in Diesel Engines,
additive, 609
diesel engine, 609
methyl ester, 609
palm oil, 609
Palm Oil, Nutritional Study of Chemically and Enzymatically Interesterified Oil,
cholesterol, 327
digestibility, 327
interesterification, 327
lipozyme, 327
Mucor miehei, 327
palm oil, 327
total lipid, 327
Palm Oil, Partition Coefficients of Diglycerides in Crystallization,
diglycerides, 591
dry fractionation, 591
fractionation, 591
olein, 591
palm oil, 591
partition coefficient, 591
solvent fractionation, 591
stearin, 591
winterization, 591
Palm Oil, Thermal Analysis by Differential Scanning Calorimetry,
crystallization, 1529
differential scanning calorimetry, 1529
palm oil, 1529
polymorphs, 1529
supercooling, 1529
triglycerides, 1529
thermal behavior, 1529
Peanut Hull Extracts, Antioxidant Activity of Methanolic Extracts from Various Cultivars,
antioxidant activity, 1065
methanolic extracts of peanut hulls, 1065
various cultivars, 1065
Peanut Oil, Retarding Oxidation by Addition of Water,
antioxidant, 1219
peanut oil, 1219
relative humidity, 1219
water, 1219
water activity, 1219
Peanut Phospholipids, Analysis by Injection System Concentration and Separation,
high-performance liquid chromatography, 481
injection system, 481
peanuts, 481
phospholipids, 481
trace compounds, 481
Peanut Phospholipids, High-Performance Liquid Chromatography Effects of Postharvest Stress on Composition,
high-performance liquid chromatography, 485
lipids, 485
peanuts, 485
phospholipids, 485
stress, 485
Pecan Oil, Extraction of with Supercritical Carbon Dioxide,
fatty acid methyl ester, 665
oilseed, 665
pecan, 665
supercritical fluid extraction, 665
Pepper Powder, Lipolytic Activity at High Temperatures in Nonaqueous Systems,
enzyme, 413
goose fat, 413
lipolytic activity, 413
organic solvent, 413
white pepper, 413
Peroxides in Oil, Determination with Carbon Paste Electrode,
amperometric analysis, 299
antioxidant, 299
carbon paste electrode, 299
cyclic voltammetry, 299
cyclic voltammetry in oil, 299
electrochemical determination, 299
lipid peroxide, 299
peroxylipid, 299
redox in oil, 299
reduction of peroxides, 299
Phenolic Conversion to Lignans,
nuclear magnetic resonance, 1465
phenolics, 1465
sinapic acid, 1465
thomasidioic acid, 1465
Phenylethyl Esters, Analytical Resolution of Petroselinate and Oleate,
fatty acid analysis, 749
gas chromatography, 749
high-performance liquid chromatography, 749
petroselinic acid, 749
phenylethyl esters, 749
Phosphatidylcholine, Synthesis with Fatty Acids and Isooctane, Propane,

and Carbon Dioxide as Solvents,
carbon dioxide, 641
enzymatic synthesis, 641
isooctane, 641
near-critical fluids, 641
phosphatidylcholine, 641
phospholipase A_2, 641
polyunsaturated fatty acids, 641
propane, 641
reaction rate, 641
yield, 641
Phospholipid Analysis, Whey Proteins by High-Performance Liquid Chromatography,
evaporative light-scattering detector, 729
high-performance liquid chromatography, 729
narrow-bore column, 729
phospholipids, 729
whey protein concentrates, 729
Phospholipid Preparation, Use of Porcine Pancreatic Phospholipase A_2,
acidolysis, 1287
deformability, 1287
docosahexaenoic acid, 1287
eicosapentaenoic acid, 1287
esterification, 1287
nonaqueous solvents, 1287
phospholipids, 1287
red blood cell, 1287
unsaturated fatty acids, 1287
Phospholipids, Adsorption onto Silicic Acid by Fourier Transform Infrared studies,
adsorption, 337
Fourier transform infrared spectroscopy, 337
isopropanol, 337
phosphatidylcholine, 337
phospholipid, 337
water, 337
Phospholipids, Extraction from Canola with Supercritical Carbon Dioxide and Ethanol,
canola, 1009
ethanol, 1009
phosphatidylcholine, 1009
phospholipids, 1009
supercritical carbon dioxide, 1009
Phospholipid–Triglyceride Mixtures, Enzymatic Hydrolysis in Organic Solvents,
hydrolysis, 519
immobilized enzyme, 519
lipase, 519
phospholipase, 519
phospholipid, 519
triacylglycerol, 519
Phosphorus, Assay in Edible Oils,
fats, 881
lipids, 881
molybdenum blue, 881
oils, 881
phosphomolybdate, 881
phosphorus, 881
spectrophotometry, 881
Photopyroelectric Determination of Thermophysical Phase Transition—Effects of Temperature,
fatty acids, 281
melting points, 281
phase transitions, 281
photopyroelectric spectroscopy, 281
thermophysical parameters, 281
triglycerides, 281
Photopyroelectric Determination of Thermophysical Phase Transition in Fatty Acids and Triglycerides, Principle, Theory, Intrumentation,
fatty acids, 273
melting points, 273
phase transitions, 273
photopyroelectric spectroscopy, 273
thermophysical parameters, 273
triglycerides, 273
Physical Refining, Edible Oils,
cold-pressed rapeseed oil, 1193
cold-pressed sunflower oil, 1193
molecular distillation, 1193
physical refining of edible oils, 1193
Phytoplankton, Determination of Free Fatty Acids by Fluorometric High-Performance Liquid Chromatography,
9-anthryldiazomethane, 1211
axenic, 1211
Chaetoceros didymum, 1211
Chattonella antiqua, 1211
free fatty acid, 1211
Heterosigma akashiwo, 1211
high-performance liquid chromatography, 1211
phytoplankton, 1211
Skeletonema costatum, 1211
Pine Seed Oils, Fatty Acid Composition,
cis-5 olefinic acids, 1043
equivalent chainlengths, 1043
fatty acid composition, 1043
pine seed oil, 1043
Pithecollobium Seed Oils, Sources of Vernolic, Malvalic, and Sterculic Acids,
fatty acids, 489
Leguminosae, 489
malvalic acid (7-[2-octacyclopropen-1-yl]heptanoic acid), 489
Pithecollobium dulce, Benth (syn. *Inga dulcis*, Willd), 489
seed oil, 489
sterculic acid (8-[2-octacyclopropen-1-yl]octanoic acid), 489
vernolic acid (12,13-epoxy-octadec-*cis*-9-enoic acid), 489
Plant Oils, Polyhydroxy Fatty Acids and Derivatives from,
9,10-dihydroxy stearic acid, 349
dihydroxy tetrahydrofuran octadecanoic acid, 349
estolides, 349
hydroxylated fatty acid derivatives, 349
hydroxylated fatty acids, 349
hydroxylated triglycerides, 349
polyhydroxy fatty acids, 349
Post-Crystallization of Fats, Sintering of Fat Crystal Networks in Oil,
adhesion, 911
dispersions, 911
fat crystals, 911
food, 911
post-crystallization, 911
rheology, 911
stability, 911
sedimentation, 911
sintering, 911
solid bridge, 911
Potato Frying, High-Oleic Sunflower Oil by High-Performance Size-Exclusion Chromatography,
deep-fat frying, 1513
high-oleic sunflower oil, 1513
high-performance size-exclusion chromatography, 1513
polar compounds, 1513
Propylene Glycol Monoesters, Synthesis by Lipase in Organic Solvents,
emulsifier, 1271
esterification, 1271
lipase, 1271

organic solvent, 1271
polyunsaturated fatty acid, 1271
Protein Concentrates, Method for Extraction of Total Lipids with Solid Phase Extraction,
lipid class separation, 1117
solid phase extraction, 1117
total lipid extraction, 1117
whey protein concentrates, 1117
Punicic Acid Containing Seed Oils, Structures of *Trichosanthes kirilowii* Triacylglycerols,
α-eleostearic acid, 1037
punicic acid, 1037
reverse-phase high-performance liquid chromatography, 1037
silver-ion high-performance liquid chromatography, 1037
stereospecific analysis, 1037
Trichosanthes kirilowii, 1037
Pyrolysis, Production of Hydrocarbons from Rapeseed Methyl Esters,
fatty methyl esters, 1149
pyrolysis, 1149
rapeseed oil, 1149
thermal decomposition, 1149

R

Rapeseed Oil, Quantitation of Ethyl Esters, Mono-, Di-, and Triglycerides by High-Performance Size-Exclusion Chromatography,
alcoholysis, 427
ethanolysis, 427
gel-permeation chromatography, 427
high-performance size-exclusion chromatography, 427
transesterification, 427
Rapeseed Oil Transesterification, Determination of Yield by ^{1}H Nuclear Magnetic Resonance,
diesel fuels, 1239
methyl esters, 1239
nuclear magnetic resonance spectroscopy, 1239
transesterification, 1239
Roe Oil of Amber Fish, Characterization of Wax Esters,
fatty alcohol, 707
mass spectrometry, 707
nicotinates, 707
picolinyl esters, 707
Seriola aureovittata, 707
silver-ion high-performance liquid chromatography, 707
wax ester, 707
Rumex crispus Seed, Chemical Composition,
chemical composition of seed, 1077
residual meal, 1077
Rumex crispus L., 1077
seed oil, 1077

S

Safflower Seed, Characteristics of Turkish Origin,
Carthamus tinctorius L., 1223
safflower, 1223
safflower seed oil, 1223
technological characteristics, 1223
Semisolid Fats, Influence of Temperature on Interactions and Structures,
bulk crystallization, 1091
dispersions, 1091
elevated temperature, 1091
emulsifiers, 1091
fat crystals, 1091
rheology, 1091
sedimentation, 1091
sintering, 1091
vegetable oils, 1091
Sensory Evaluation and Chemical Stability, Tortilla Chips Fried in Corn, Canola, and Hydrogenated Soybean Oils,
canola, 1123
corn and soybean oils, 1123
sensory/chemical storage stability, 1123
tortilla chips, 1123
Sesame Oil, Adsorption Among Components in a Concentrated Miscella System,
activated carbon, 675
carbonyls, 675
carotenoids, 675
competitive adsorption, 675
fatty acids, 675
oil extraction miscella, 675
sesame oil, 675
Sesame Oil, Effects of Extraction Methods on Stability,
antioxidants, 967
dehulled seeds, 967
extraction method, 967
prooxidant metals, 967
sesame oil, 967
Sesamum indicum, 967
stability, 967
whole seeds, 967
Sesame Oil, Low Linolenic Acid Content, 1087, 1089
Shea Fat, Enzyme-Assisted Extraction in Rural Approach,
aqueous extraction, 251
enzyme-assisted, 251
rural process, 251
shea fat, 251
Solvent Extraction of Vegetable Oils Modeling in a Packed Bed,
equilibrium, 971
modeling, 971
packed bed, 971
residual oil, 971
rice bran, 971
solvent extraction, 971
Soy Protein, Alkali-Modified with Improved Adhesive and Hydrophobic Properties,
adhesive strength, 1461
alkaline modification, 1461
enzymatic modification, 1461
hydrophobicity, 1461
soy protein, 1461
wood, 1461
Soy Protein Isolate Solubility, Effect of Lipids,
lipid oxidation, 1439
lipids, 1439
phospholipids, 1439
protein oxidation, 1439
protein solubility, 1439
soy protein isolate, 1439
sulfhydryl, 1439
Soy Protein Isolates, Effect of Lipid Components on Solubility of,
high-performance liquid chromatography, 1445
lipids, 1445
phytoglycolipid, 1445
size-exclusion chromatography, 1445
solubility, 1445
soy protein isolate, 1445
Soy Protein Isolates, Off-Flavor Removal by Liquid and Supercritical CO_2,
gas chromatography, 1107
liquid and supercritical carbon dioxide, 1107
off-flavor, 1107
removal, 1107
sensory analysis, 1107

soy-protein, 1107
Soy Protein, Properties of Fibers Produced from Isolate by Extrusion and Wet-Spinning,
chemical modification, 1453
cross-linking, 1453
elongation, 1453
extrusion, 1453
fibers, 1453
flexibility, 1453
soy isolate, 1453
tenacity, 1453
wet-spinning, 1453
Soybean Oil, Effects of Soybean Pretreatments on Crude Oil Quality,
carbonyl value, 177
free fatty acid, 177
infrared radiation, 177
microwave heating, 177
oil, 177
phosphatidic acid, 177
soybeans, 177
steaming, 177
toasting, 177
tocopherol, 177
Soybean Oil Oxidation, Determination with Oxidative Stability Instrument, Effect of Operational Parameters,
oil stability index, 741
oxidation stability, 741
Rancimat, 741
soybean oil, 741
Soybean Oil, Oxidative Stability of Products Obtained by Regioselective Interesterification,
fatty acid position, 1393
interesterification, 1393
methyl stearate, 1393
oxidative stability, 1393
peroxide formation, 1393
randomization, 1393
regioselectivity, 1393
soybean oil, 1393
triacylglycerols, 1393
volatiles, 1393
Soybean Phospholipids, Chromatographic Method for Gram-Scale Preparation,
mass detector, 1073
phosphatidylcholine, 1073
phosphatidylethanolamine, 1073
phosphatidylinositol, 1073
soybean lecithin, 1073
Soybean Proteins, Modification and Adhesive Properties on Woods,
adhesive strength, 507
enzymatic modification, 507
soy protein, 507
trypsin, 507
wood, 507
Soybean Seed Proteins, Potential β-Sheet Surfaces of,
amphiphilicity, 501
computational chemistry, 501
conglycinin, 501
glycinin, 501
molecular volume, 501
oleosin, 501
Soybeans, Association of Seed Size with Genotype and Chemical Constituents,
fatty acid composition, 189
protein and oil, 189
seed size, 189
soybeans, 189
Soybeans, Effect of Fungal Damage on Seed Composition and Quality,
fixed colors, 1425
fungal damage, 1425
Glycine max, 1425
meal, 1425
nonhydratable phosphatides, 1425
oil quality, 1425
protein concentration, 1425
soybean, 1425
test weight, 1425
tocopherol composition, 1425
Soybeans, Varieties with Genetic Resistance to *Phomopsis* spp.,
genetics, 1431
Glycine max, 1431
Phomopsis seed decay, 1431
Phomopsis spp., 1431
seed quality, 1431
soybean, 1431
Structured Lipids, Optimization of Enzymatic Modification of Triolein,
acidolysis, 619
capric acid, 619
Lipozyme IM60, 619
optimization, 619
response surface methodology, 619
structured lipid, 619
transesterification, 619
triolein, 619
Sunflower Hulls, Effects of Processing on Yield and Pigment Quality,
anthocyanin, 183
extraction, 183
pigment, 183
processing, 183
purple-hulled sunflower, 183
red food colorant, 183
spray drying, 183
sunflower by-product, 183
sunflower hulls, 183
Sunflowerseed, Determination of Fatty Acid Composition by Near-Infrared Spectroscopy,
analysis, 1177
fatty acid composition, 1177
Helianthus annua L., 1177
husked seed, 1177
near-infrared, 1177
oil, 1177
single grain, 1177
spectroscopy, 1177
sunflowerseed, 1177
whole grain, 1177
Sunflowerseed Oil, Effect of Hydrogenation on Density and Viscosity,
activation energy, 1519
activation entropy, 1519
activation free energy, 1519
density, 1519
hydrogenation, 1519
sunflowerseed oil, 1519
viscosity, 1519
Surfactant Titration, Use of Mutagenic Indicator Required, 1243

T

Thevetia peruviana Juss, Thermal Stability of Seed Oil,
acid value, 745
iodine value, 745
peroxide value, 745
physicochemical properties, 745
polar compounds, 745

saponification value, 745
thermal stability, 745
Thevetia seed oil, 745
Thiobisphenols as Antioxidants, Correlation Between Activities and ^{13}C Chemical Shifts,
antioxidant, 1047
^{13}C chemical shifts, 1047
oxidation potential, 1047
paraffin, 1047
tetralin, 1047
thiobisphenol, 1047
Tobacco, Progeny Analysis that Express Mammalian Δ9 Desaturase,
fatty acids, 317
lipids, 317
palmitic acid, 317
vegetable oil quality, 317
Trans $C_{18:1}$ Acids, Determination in Butter,
butterfat, 1471
capillary column, 1471
fat extraction, 1471
fatty acid composition, 1471
fatty acid isopropyl esters, 1471
fatty acid methyl esters, 1471
flame-ionization detector, 1471
gas–liquid chromatography, 1471
response factor, 1471
seasonal variations, 1471
silver-ion thin-layer chromatography, 1471
trans-octadecenoic acids, 1471
vaccenic acid, 1471
Trans $C_{18:1}$ Acid, Trends in French Margarines and Shortenings,
hydrogenated oils, 1485
margarines, 1485
shortenings, 1485
trans-octadecenoic acids, 1485
Trans Acids, Determination in Fats and Oils by Fourier Transform Infrared Spectroscopy,
cis, 873
Fourier transform infrared spectroscopy, 873
lipid analysis, 873
trans, 873
trans analysis, 873
Trans 18:1 Acids, Content and Distribution in Milk and Meat Fats, Effects on Diet and Human Milk,
beef, 259
cheese, 259
consumption, 259
European Economic Community, 259
ewe, 259
fat, 259
fatty acid composition, 259
gas–liquid chromatography, 259
goat, 259
human milk, 259
isopropyl esters, 259
margarine, 259
meat, 259
sheep, 259
tallow, 259
trans-octadecenoic acids, 259
vaccenic acid, 259
Trans, $C_{18:1}$ Isomers, Improved Resolution by Capillary Gas–Liquid Chromatography with 100 M CP-SIL 88 Column,
butterfat, 1197
equivalent chainlengths, 1197
gas–liquid chromatography, 1197
human milk, 1197
hydrogenated oil, 1197
isopropyl esters, 1197
methyl esters, 1197
octadecenoic acids, 1197
separation, 1197
tallow, 1197
trans isomers, 1197
Triacylglycerols, Analysis by Fast Atom Bombardment–Mass Spectrometry,
chemometrics, 867
edible oils, 867
fast atom bombardment–mass spectrometry, 867
principal component analysis, 867
triacylglycerols, 867
Triacylglycerol Analysis, Soybean Oil by High-Performance Liquid Chromatography and Atmospheric Pressure Chemical Ionization Mass Spectrometry,
atmospheric pressure chemical ionization, 1185
evaporative light-scattering detector, 1185
flame-ionization detector, 1185
high-palmitic soybean oil, 1185
high-performance liquid chromatography, 1185
high-stearic soybean oil, 1185
mass spectrometry, 1185
reversed-phase high-performance liquid chromatography, 1185
soybean oil, 1185
triacylglycerol analysis, 1185
triacylglycerols, 1185
Triacylglycerols, Regioselective Analysis by Lipase Hydrolysis,
diacylglycerols, 1275
free fatty acids, 1275
gas–liquid chromatography, 1275
high-performance liquid chromatography, 1275
hydrolysis, 1275
mass spectrometry, 1275
melon seed oil, 1275
1,3-specific lipases, 1275
tung oil, 1275
Triglycerides, Radical Chlorinations of,
biomimicry, 369
functionalization, 369
radical, 369
triglyceride, 369
Triglycerides, Transesterification Kinetics for a Modified Lipase in *n*-Hexane,
acidolysis, 231
interesterification, 231
kinetic model, 231
modified lipase, 231
transesterification, 231
triglycerides, 231
Trilinolein, Enzymatic Modification and Incorporation of n-3 Polyunsaturated Fatty Acids,
Candida antarctica, 1317
ester–ester interchange, 1317
lipases, 1317
Mucor miehei, 1317
n-3 polyunsaturated fatty acid, 1317
organic solvent, 1317
transesterification, 1317
trilinolein, 1317

V

Vegetable Oil, New Utilization of,
diesel fuel, 1591
factice, 1591
Indian amulate, 1591

Putranjiva roxburghii, 1591
vulcanized oil, 1591

W

Wax Ester Synthesis, Membrane Reactor with Lipase–Surfactant Complex in Hexane,
bioreactor, 887
esterification, 887
flux, 887
lipase–surfactant complex, 887
membrane, 887
wax ester, 887
Wetting of Fats, Adhesion To Oil/Water Interface,
adhesion energy, 933
adhesion tension, 933
contact angle, 933
emulsifiers, 933
fat crystals, 933
Fowkes equation, 933
interfacial tension, 933
oil/water interface, 933
polar interaction, 933
Young equation, 933
Wetting of Fats, Effects of Additives,
advancing and receding contact angles, 921
emulsifiers, 921
emulsions, 921
fat crystals, 921
food, 921
interfacial tension, 921
oil/water interface, 921
triglycerides, 921
vegetable oils, 921
wetting, 921
Wool Polar Lipids, Chromatographic Characterization,
ceramides, 715
gas chromatography/mass spectrometry, 715
polar lipids, 715
thin-layer chromatography/flame-ionization detection, 715
wool, 715

Surfactants and Detergents

A

Activated Sludge,
  in environmental analysis, 23
Alcohol Ether Sulfates,
  analysis, 17
  critical micelle concentration determination, 49
Alcohol Ethoxylates,
  analysis, 23
  critical micelle concentration determination, 49
  high-temperature stability, 811
  in hard-surface cleaner compositions, 857
  polarity index, 89
Alcohol Sulfates,
  analysis, 17
  critical micelle concentration, 49
  in microemulsions, 151
  interaction with liposome, 123
  interaction with polymers, 145
  viscosity in presence of short-chain alcohols, 817
Alcohols
  aggregation of unsaturated, long-chain, 123
Alkylbenzenesulfonates
  analysis, 11
  by SO_3 sulfonation, 157
  interaction with protease, 53
  solubility and viscosity as a function of 2-phenylalkane and dialkyltetralin content, 115
  synergy with *N*-alkylpyrrolidones, 817
Alkylphenol Ethoxylates,
  analysis, 11, 23
  polarity index, 89
  wetting behavior, 759
Alkylpolyglycosides,
  analysis of ester derivatives, 1
  preparation of aldohexoses, 73
N-Alkylpyrrolidones,
  literature review, 759
S-Alkylthiocarboxylic Acids,
  surface-active and thermal properties, 805
Amine Oxides,
  in hard-surface cleaner compositions, 857
Analytical Methods,
  atmospheric-pressure ionization mass spectrometry, 1
  chloride in soap bars, 161
  fluorescence probe, 49
  high-performance liquid chromatography/fluorescence detection, 23
  high-performance liquid chromatography/mass spectrometry/ultraviolet/fluorescence, 827
  inverse gas chromatography, 89
  ion chromatography, 17
  matrix-assisted laser desorption time-of-flight mass spectrometry, 11
  solid-state nuclear magnetic resonance in analysis of oil removal, 799

B

Benzalkonium chloride,
  analysis, 11
Betaines
  solubilizers for liposomes, 131
Biodegradation,
  of 1,3-dioxolane carboxylates, 853
  of nonionics, 23
Biosurfactants,
  from fermentation, 67
Bleaching,
  of coffee stains, 793
  with active oxygen species, 97
  with N-chloro-4-hydroxy-2,2,6,6-tetramethylpiperidine as activator, 105
Builders
  performance evaluation of Zeolite, 31

C

Cetylidimethylethyl Ammonium Bromide,
  analysis, 11
Cetylpyridinium Chloride,
  analysis, 11
N-Chloro-4-Hydroxy-2,2,6,6-Tetramethylpiperidine,
  as bleach activator, 105
Critical Micelle Concentration,
  determination by fluorescence probe, 49
  of long-chain unsaturated alcohols in nonaqueous systems, 123
  of polyalkylene glycols, 823

D

Detergency,
  hydrolysis of human horny cells by alkaline protease, 785
  mechanism of coffee stain removal, 793
  quantitative analysis of oil removal through formation of microemulsions, 799
1,3-Dioxane Derivatives,
  synthesis, 83
1,3-Dioxolane Carboxylates,
  biodegradation, 853
Ditallowdimethylammonium Chloride,
  interaction with cellulose, 137
D-Glucosamine,
  in surfactant synthesis, 773

E

Environmental Analysis,
  in bench-scale biotreater, 23
Enzymes,
  lipase in transesterification of methyl esters, 61
  protease stabilization, 53
Ethoxylation,
  chainlength distribution, 17
  of fatty methyl esters, 781

F

Fabric Softeners,
  mechanism, 137
Fatty Ester Ethoxylates,
  by direct ethoxylation of fatty methyl esters, 781
Fluorescent Whitening Agents,
  characterization in detergents, 827

H

Hard-Surface Cleaners,
  amine oxide/alcohol ethoxylate blends, 857
Hydroxyfatty Acids,
  synthesis and properties, 43

L

Lipase,
  in transesterification of methyl esters, 61

Liposomes,
solubilization in surfactant systems, 131
Liquid Crystals,
effect of a vegetable oil, 109

M

Methyl Ester Sulfonates,
purification by a nonbleach process, 835
Microemulsions,
of soybean/fatty alcohols/methanol, 123
with palm oil base emollient, 151

P

Perborate,
mechanism of activation, 97
Phase Diagrams,
automatic recording, 37
Polarity Index,
of nonionics, 89
Polyalkylene Glycols,
critical micelle concentration, 823
determination of polarity index, 89
Polyglycerol Fatty Acid Esters,
by lipase transesterification, 61
Polymers,
interaction with anionic surfactants, 145
viscosity of alumina–polyacrylate gel dispersions, 843
Protease,
hydrolysis of human horny cells, 785
stabilization, 49

R

Rheology,
viscosity of alumina–polyacrylate gel dispersions, 843
viscosity of linear alkylbenzene sulfonate in presence of short-chain alcohols, 817

S

Soap bars,
analysis for chloride, 161
Sulfonation,
relative reactivities of commercial alkylbenzene components, 157
Surface Tension,
of hydroxyfatty acid, 43
Surfactant,
alcohol ethoxylates, 17, 23, 89, 811, 857
alcohols, unsaturated, 123
alcohol ether sulfates, 17, 49
alcohol sulfates, 17, 49, 131, 145, 151, 817, 843
alkylbenzene sulfonates, 11, 53, 115, 157, 759
alkylphenol ethoxylates, 11, 23, 89, 759
alkylpolyglycosides, 1, 73
N-alkylpyrrolidones, 759
S-alkylthiocarboxylic acids, 805
amine oxides, 857
benzalkonium chloride, 11
betaines, 131
cetylidimethylethyl ammonium bromide, 11
cetylpyridinium chloride, 11
cetyltrimethylammonium bromide, 109, 131
D-glucosamine derivatives, 773
1,3-dioxane derivatives, 83
1,3-dioxolane carboxylates, 853
ditallowdimethylammonium chloride, 137
fatty ester ethoxylates, 781
hydroxyfatty acids, 43
methyl ester sulfonates, 835
polyalkylene glycols, 89, 823
polyglycerol fatty acid esters, 61
tetradecylammonium bromide, 49

Z

Zeolite,
performance evaluation, 31

Author

A

Abbott, T.P. See Huang, J.-K.
Adachi, S., T. Ishiguro, and R. Matsuno. Autoxidation Kinetics for Fatty Acids and Their Esters, 547
Adamy, S.T. See Rouse, J.
Adhikari, C., A. Proctor, and G.D. Blyholder. Diffuse Reflectance Fourier Transform Infrared Spectroscopy of Phospholipid Adsorption onto Silicic Acid, 337
See Proctor, A.
Adlof, R.O., L.C. Copes, and E.A. Emken. Analysis of the Monoenoic Fatty Acid Distribution in Hydrogenated Vegetable Oils by Silver-Ion High-Performance Liquid Chromatography, 571
Ahmad, F.B.H., S. Hamdan, M.A. Yarmo, and A. Alimunir. Co-Metathesis Reaction of Crude Palm Oil and Ethene, 757
Akabane, Y. See Fujiwara, M.
Akasaka, K. See Tsuzuki, W.
Akoh, C.C., B.H. Jennings, and D.A. Lillard. Enzymatic Modification of Trilinolein: Incorporation of n-3 Polyunsaturated Fatty Acids, 1317
See Shieh, C.-J.
See Yee, L.N.
Aksoy, H.A. See Işiğigür, A.
Alaiz, M., R. Zamora, and F.J. Hidalgo. Natural Antioxidants Produced in Oxidized Lipid/Amino Browning Reactions, 1571
See Millan, F.
Al-Duri, B., E. Robinson, S. McNerlan, and P. Bailie. Hydrolysis of Edible Oils by Lipases Immobilized on Hydrophobic Supports: Effects of Internal Support Structure, 1351
Alexandridis, P., J.F. Holzwarth, and T.A. Hatton. A Correlation for the Estimation of Critical Micellization Concentrations and Temperatures of Polyols in Aqueous Solutions, 823
Ali, Y., M.A. Hanna, and S.L. Cuppett. Fuel Properties of Tallow and Soybean Oil Esters, 1557
Alimunir, A. See Ahmad, F.B.H.
Ampon, K. See Basri, M.
Andσ, Y. See Takagi, T.
Andrade, A.D., A.F. Rubira, M. Matsushita, and N.E. Souza. ω3 Fatty Acids in Freshwater Fish from South Brazil, 1207
Añón, M.C. See Segura, J.A.
Anthonsen, T. See Sjursnes, B.J.
Anuar, K. See Hamdan, S.
Appelqvist, L.Å. See Kamal-Eldin, A.
Arashima, M. See Yamamura, T.
Arntfield, S.D. See Rubino, M.I.
Artz, W.E., and M.R. Myers. Supercritical Fluid Extraction and Chromatography of Emulsifiers, 219
Arumughan, C. See Balachandran, C.
Aura, A.-M., P. Forssell, A. Mustranta, and K. Poutanen. Transesterification of Soy Lecithin by Lipase and Phospholipase, 1375
Aursand, M., L. Jørgensen, and H. Grasdalen. Positional Distribution of ω3 Fatty Acids in Marine Lipid Triacylglycerols by High-Resolution ^{13}C Nuclear Magnetic Resonance Spectroscopy, 293
Ayerza (h), R. Oil Content and Fatty Acid Composition of Chia (*Salvia hispanica* L.) from Five Northwestern Locations in Argentina, 1079

B

Baert, L. See De Meulenaer, B.
Bagby, M.O. See Dunn, R.O.
See Huang, J.-K.
See Knothe, G.
Bailie, P. See Al-Duri, B.
Bako, S.S. See Ibiyemi, A.S.
Balachandran, C., and C. Arumughan. Biochemical and Cytochemical Transformations in Germinating Coconut (*Cocos nucifera* Linn.), 1385
and C. Arumughan. Triglyceride Deposition in Tissues of Germinating Coconut (*Cocos nucifera* Linn), 647
Banerjee, A. See Patel, R.N.
Barnes, R.J. See Wesley, I.J.
Barstad, H. See Myrnes, B.
Basheer, S., K. Mogi, and M. Nakajima. Interesterification Kinetics of Triglycerides and Fatty Acids with Modified Lipase in *n*-Hexane, 511
J.B. Snape, K. Mogi, and M. Nakajima. Transesterification Kinetics of Triglycerides for a Modified Lipase in *n*-Hexane, 231
Basri, M., K. Ampon, W.M.Z. Wan Yunus, C.N.A. Razak, and A.B. Salleh. Enzymic Synthesis of Fatty Esters by Hydrophobic Lipase Derivatives Immobilized on Organic Polymer Beads, 407
Bauman, D. See Knez, Ž.
Bautista, J. See Millan, F.
Bayard, C.C., and R.L. Wolff. *Trans*-18:1 Acids in French Tub Margarines and Shortenings: Recent Trends, 1485
See Wolff, R.L.
Bayrak, Y. See Topallar, H.
Benjelloun-Mlayah, B. See Fillières, R.
Bergenståhl, B. See Johansson, D.
See Fäldt, P.
Bergenthal, D. See Weber, N.
Berna, J.L. See Cohen, L.
Bernardi, P. See Facino, R.M.
Bhagvanth Rao, M. See Vishwanadham, B.
Bhattacharya, S. See Nag, A.
Bhattacharyya, D.K. See Ghosh, S.
See Ray, S.
Bicanic, D. See Dadarlat, D.
Biliaderis, C.G. See Liu, H.
Billaud, F., V. Dominguez, P. Broutin and C. Busson. Production of Hydrocarbons by Pyrolysis of Methyl Esters from Rapeseed Oil, 1149
Bliek, A. See van de Scheur, F.Th.
Blyholder, G.D. See Adhikari, C.
See Proctor, A.
Boatright, W.L., and N.S. Hettiarachchy. Effect of Lipids on Soy Protein Isolate Solubility, 1439
and N.S. Hettiarachchy. Lipid Components That Reduce Protein Solubility of Soy Protein Isolates, 1445 Boatright,
See Hettiarachchy, N.S.
Bondioli, P., A. Gasparoli, A. Lanzani, E. Fedeli, S. Veronese, and M. Sala. Storage Stability of Biodiesel, 699
Boriraj, V.A. See Stemp, A.
Bornaz, S., J. Fanni, and M. Parmentier. Filtration in Hydrophobic Media: 1. Evidence of Molecular Selection by Crossflow Filtration of Butter Oil, 1139
J. Fanni, and M. Parmentier. Filtration in Hydrophobic Media: 2. A Triglyceride Partition Phenomenon as Observed by Tangential Filtration of Butter Oil, 1143
J. Fanni, and M. Parmentier. Heat Treatment of Cream: A Model of the Butter Texture Response in Relation with Triglyceride Composition, 163
Bornscheuer, U.T., and T. Yamane. Fatty Acid Vinyl Esters as Acylating Agents: A New Method for the Enzymatic Synthesis of Monoacylglycerols, 193
Brechany, E.Y. See Joh, Y.-G.
Breeding, C.J., and R.T. Marshall. Crystallization of Butter Oil and Separation by Filter-Centrifugation, 449
Breene, W.M. See Budin, J.T.
Brès, O. See Gelbard, G.
Briand, D., E. Dubreucq, and P. Galzy. Factors Affecting the Acyltransfer Activity of the Lipase from *Candida parapsilosis* in Aqueous Media, 1367
Broutin, P. See Billaud, F.
Brown, E.A. See Minor, H.C.
See Liu, K.

Broze, G. See Farooq, A.
See Rouse, J.
Brumm, T.J. See Dunlap, F.G.
Brusewitz, G.H. See Maness, N.O.
Budin, J.T., W.M. Breene, and D.H. Putnam. Some Compositional Properties of Camelina (*Camelina sativa* L. Crantz) Seeds and Oils, 309
Burkow, I.C., L. Vikersveen, and K. Saarem. Evaluation of Antioxidants for Cod Liver Oil by Chemiluminescence and the Rancimat Method, 553
Buschmann, N. Does the Two-Phase Titration of Surfactants Require a Mutagenic Indicator?, 1243
Busson, C. See Billaud, F.
Byrdwell, W.C. See Neff, W.E.

C

Caboni, M.F. See Penazzi, G.
Camusso, C., and B. Maroto. Hydrophobic Interactions in the Purification of Soybean Lecithin, 613
Carini, M. See Facino, R.M.
Casetta, B. See Facino, R.M.
Chaiseri, S., and P.S. Dimick. Dynamic Crystallization of Cocoa Butter. I. Characterization of Simple Lipids in Rapid- and Slow-Nucleating Cocoa Butters and Their Seed Crystals, 1491
and P.S. Dimick. Dynamic Crystallization of Cocoa Butter. II. Morphological, Thermal, and Chemical Characteristics During Crystal Growth, 1497
Chaki, T.K. See Nag, A.
Chapman, B.E. See Sherry, A.E.
Charlemagne, D., and M.D. Legoy. Enzymatic Synthesis of Polyglycerol–Fatty Acid Esters in a Solvent-Free System, 61
Charlton, J.L. See Rubino, M.I.
Che Man, Y.B., and P.Z. Swe. Thermal Analysis of Failed-Batch Palm Oil by Differential Scanning Calorimetry, 1529
See Ghazali, H.M.
See Swe, P.Z.
Cheah, P.B., and D.A. Ledward. High-Pressure Effects on Lipid Oxidation, 1059
Chen, B. See Mehreteab, A.
Chong, C.-L. See Siew, W.-L.
Christie, W.W. See Joh, Y.-G.
Chrysam, M. See List, G.R.
Chrz, D. See Maness, N.O.
Chu, Y.-H. Effects of Soybean Pretreatments on Crude Oil Quality, 177
Cichowicz, D.J. See Haas, M.J.
Clark, P.K. See Proctor, A.
Coderch, L., A. de la Maza, C. Soriano, P. Erra, and J.L. Parra. Chromatographic Characterization of Internal Polar Lipids from Wool, 715
R. Vergara, A. Moreno, and J.L. Berna. Influence of 2-Phenyl Alkane and Tetralin Content on Solubility and Viscosity of Linear Alkylbenzene Sulfonate, 115
R. Vergara, A. Moreno, and J.L. Berna. Sulfonation with SO_3: Relative Reactivity of Commercial Alkylbenzene Components, 157
Cole, S., J.V. Rao, and P. Venkatacharyulu. Thermoacoustic Properties of Methyl Esters of *n*-Alkanoic Acids, 687
Conkerton, E.J. See Foglia, T.A.
P.J. Wan, and O.A. Richard. Hexane and Heptane as Extraction Solvents for Cottonseed: A Laboratory-Scale Study, 963
See Wan, P.J.
Contreras Gómez, A. See Robles Medina, A.
Cooke, P. See Joubran, R.
Copes, L.C. See Adlof, R.O.
Craske, J.D. A Technique for Manual Injection to Capillary Columns with Avoidance of Sample Discrimination, 995
Creedon, M.T. See Sherry, A.E.
Crutzen, A.M. Study of the Ditallowdimethylammonium Chloride Interaction with Cellulose, 137
Cuesta, C. See Romero, A.
Culnan, P.D. See Rangarajan, B.
Cuppett, S.L. See Ali, Y.
Cvengroš, J. Physical Refining of Edible Oils, 1193

D

Dadarlat, D., D. Bicanic, H. Visser, F. Mercuri, and A. Frandas. Photopyroelectric Method for Determination of Thermophysical Parameters and Detection of Phase Transitions in Fatty Acids and Triglycerides. Part I: Principles, Theory, and Instrumentational Concepts, 273
D. Bicanic, H. Visser, F. Mercuri, and A. Frandas. Photopyroelectric Determination of Thermophysical Parameters and Detection of Phase Transitions in Fatty Acids and Triglycerides. Part II: Temperature Dependence of Thermophysical Parameters, 281
Dahlke, B., S. Hellbardt, M. Paetow, and W.H. Zech. Polyhydroxy Fatty Acids and Their Derivatives from Plant Oils, 349
Daud, W.R.W. See Myint, S.
de la Maza, A., and J.L. Parra. Solubilization of Unilamellar Liposomes by Betaine-Type Zwitterionic/Anionic Surfactant Systems, 131
See Coderch, L.
De, K.B. See Nag, A.
De Filippis, P., C. Giavarini, M. Scarsella, and M. Sorrentino. Transesterification Processes for Vegetable oils: A Simple Control Method of Methyl Ester Content, 1399
De Meulenaer, B., P. Van der Meeren, J. Vanderdeelen, and L. Baert. A Simple and Cost-Effective Gram-Scale Chromatographic Method for the Purification of Soybean Phospholipids, 1073
Delmas, M. See Fillières, R.
Denkewicz Jr., R.P., A.G. Monino, D.E. Russ, and H.S. Sherry. Measurement and Interpretation of Zeolite NaA Builder Performance, 31
Depta, G. See Facino, R.M.
Dimick, P.S. See Chaiseri, S.
Dionisi, F., J. Prodolliet, and E. Tagliaferri. Assessment of Olive Oil Adulteration by Reversed-Phase High-Performance Liquid Chromatography/Amperometric Detection of Tocopherols and Tocotrienols, 1505
Dixit, N. See Farooq, A.
Dobarganes, M.C. See Márquez-Ruiz, G.
Dominguez, V. See Billaud, F.
Dowd, M.K. See Wan, P.J.
Duan, J. See Fu, X.
Dubey, S.T., L. Kravetz, and J.P. Salanitro. Analysis of Nonionic Surfactants in Bench-Scale Biotreater Samples, 23
Dubreucq, E. See Briand, D.
Dudley, R. See Joubran, R.
Duh, P.-D. See Yen, G.-C.
Dunford, N.T., and F. Temelli. Extraction of Phospholipids from Canola with Supercritical Carbon Dioxide and Ethanol, 1009
Dunlap, F.G., P.J. White, L.M. Pollak, and T.J. Brumm. Fatty Acid Composition of Oil from Adapted, Elite Corn Breeding Materials, 981
P.J. White, and L.M. Pollak. Fatty Acid Composition of Oil from Exotic Corn Breeding Materials, 989
Dunn, R.O., and M.O. Bagby. Aggregation of Unsaturated Long-Chain Fatty Alcohols in Nonaqueous Systems, 123
and M.O. Bagby. Low-Temperature Properties of Triglyceride-Based Diesel Fuels: Transesterified Methyl Esters and Petroleum Middle Distillate/Ester Blends. 895
See Knothe, G.
DuVal, D.L. See Ogura, I.

E

Elfman, I. See Härröd, M.
Elvevoll, E.O. See Myrnes, B.

Emken, E.A. See Adlof, R.O.
Erciyes, A.T. See Erdem-Şenatalar, A.
Erdem-Şenatalar, A., E. Erencek, and A.T. Erciyes. Mechanism and Kinetics of the $CoCl_2$-Catalyzed Esterification Reaction of Castor Oil with Oleic Acid, 891
Erencek, E. See Erdem-Şenatalar, A.
Erhan, S.M., R. Kleiman, and T.A. Isbell. Methods for Increasing Estolide Yields in a Batch Reactor, 671
Erin, M.K. See Hawrysh, Z.J.
Erra, P. See Coderch, L.
Eskin, N.A.M. See Liu, H.
Esposito, D. See Haas, M.J.
Esumi, K., and T. Maekawa. The Interaction Between Co-Polymer of Vinylpyrrolidone and Vinylacetate and Anionic Surfactants in Aqueous Solutions, 145
Evangelisti, F. See Penazzi, G.
Evetts, S., C. Kovalski, M. Levin, and M. Stafford. High-Temperature Stability of Alcohol Ethoxylates, 811

F

Fabien, R.J. See Wolff, R.L.
Facino, R.M., M. Carini, G. Depta, P. Bernardi, and B. Cassetta. Atmospheric-Pressure Ionization Mass-Spectrometric Analysis of New Anionic Surfactants: The Alkylpolyglucoside Esters, 1
Fadipe, V.O. See Ibiyemi, A.S.
Fairley, P., J.M. Krochta, and J.B. German. Crystal Morphology of Mixtures of Tripalmitin and Butterfat, 693
Fäldt, P., and B. Bergenståhl. Fat Encapsulation in Spray-Dried Food Powders, 171
Fanni, J. See Bornaz, S.
Farines, M., J. Soulier, A. Rancurel, M.G. Montaudoin, and L. Leborgne. Influence of Avocado Oil Processing on the Nature of Some Unsaponifiable Constituents, 473
Farooq, A., A. Mehreteab, G. Broze, N. Dixit, and D. Hsu. Rheological Properties of Alumina–Polyacrylate Gel Dispersions, 843
Fatemi, S.H. See Lee, I.
Fedeli, E. See Bondioli, P.
Fehling, E. Analysis of Estolides in Technical Hydroxylated Fatty Acids from Plant Oils, 355
See Weber, N.
Fenner, G.P. See Wilson, R.F.
Fillières, R., B. Benjelloun-Mlayah, and M. Delmas. Ethanolysis of Rapeseed Oil: Quantitation of Ethyl Esters, Mono-, Di-, and Triglycerides and Glycerol by High-Performance Size-Exclusion Chromatography, 427
Fisher, C.H. Heats of Vaporization of the *n*-Fatty Acid Esters, 1101
n-Fatty Acids: Comparison of Published Densities and Molar Volumes, 681
Flickinger, B.D. See Mossoba, M.M.
Foglia, T.A., and P.E. Sonnet. Fatty Acid Selectivity of Lipases: γ-Linolenic Acid from Borage Oil, 417
E.J. Conkerton, and P.E. Sonnet. Regioselective Analysis of Triacylglycerols by Lipase Hydrolysis, 1275
Forssell, P. See Aura, A.-M.
Frandas, A. See Dadarlat, D.
Frankel, E.N. See Satue, M.T.
Fu, X., X. Zhu, K. Gao, and J. Duan. Oil and Fat Hydrolysis with Lipase from *Aspergillus* sp., 527
Fujiwara, M., T. Tamura, and Y. Akabane. Reaction of Sodium Perborate with a Chlorinated Cyclic Hindered Amine (TMP–Cl): I. Quantitative Evaluation of Active Oxygen Species in Fabric Bleaching, 97
T. Tamura, S. Nishida, and Y. Akabane. Reaction of Sodium Perborate with a Chlorinated Cyclic Hindered Amine (N-chloro-4-hydroxy-2,2,6,6-tetramethylpiperidine) II. Activating Effects and Related Characteristics in Practical Fabric Bleaching, 105

G

Gallina Toschi, T. See Penazzi, G.
Galzy, P. See Briand, D.
Gambhir, P.N. See Tiwari, P.N.
Gan, L.H., K.S. Ooi, L.M. Gan, and S.H. Goh. Effects of Epoxidation on the Thermal Oxidative Stabilities of Fatty Acid Esters Derived from Palm Olein, 439
Gan, L.M. See Gan, L.H.
Gao, K. See Fu, X.
García Camacho, F. See Robles Medina, A.
Gasparoli, A. See Bondioli, P.
Gelbard, G., O. Brès, R.M. Vargas, F. Vielfaure, and U.F. Schuchardt. ^1H Nuclear Magnetic Resonance Determination of the Yield of the Transesterification of Rapeseed Oil with Methanol, 1239
German, J.B. See Fairley, P.
Ghazali, H.M., S. Hamidah, and Y.B. Che Man. Enzymatic Transesterification of Palm Olein with Nonspecific and 1,3-Specific Lipases, 633
See Swe, P.Z.
Ghosh, S., and D.K. Bhattacharyya. Utilization of Acid Oils in Making Valuable Fatty Products by Microbial Lipase Technology, 1541
Giavarini, C. See De Filippis, P.
Giblin, E.M. See Taylor, D.C.
Gil, B., and A.P. Handel. The Effect of Surfactants on the Interfacial Tension of Frying Fat, 951
Giménez Giménez, G. See Robles Medina, A.
Goh, S.H. See Gan, L.H.
Gopala Krishna, A.G., and J.V. Prabhakar. Retarding Autoxidation in Raw Peanut Oil by Addition of Water, 1219
Graille, J. See Villeneuve, P.
Grasdalen, H. See Aursand, M.
Grayburn, W.S., and D.F. Hildebrand. Progeny Analysis of Tobacco That Express a Mammalian Δ9 Desaturase, 317
Grosch, W. See Guth, H.
Gruiec, R., N. Noiret, and H. Patin. Useful Direct Conversion of Tetrahydropyranyl Ethers of Fatty Alcohols into Fatty Acids, 1083
Grulke, E.A. See Rangarajan, B.
Gunnlaugsdottir, H., and B. Sivik. Lipase-Catalyzed Alcoholysis of Cod Liver Oil in Supercritical Carbon Dioxide, 399
Guo, Q.-X. See Wang, G.-W.
Guth, H., Y. Zhang, G. Laskawy, and W. Grosch. Furanoid Fatty Acids in Oils from Soybeans Lacking Lipoxygenase Isoenzymes, 397

H

Haas, M.J., D.J. Cichowicz, W. Jun, and K. Scott. The Enzymatic Hydrolysis of Triglyceride–Phospholipid Mixtures in an Organic Solvent, 519
D. Esposito, and D.J. Cichowicz. A Software Package to Streamline the Titrimetric Determination of Lipase Activity, 1405
Habulin, M. See Knez, Ž.
Hagen, K. See Sun, H.
Hama, I., T. Okamoto, and H. Nakamura. Preparation and Properties of Ethoxylated Fatty Methyl Ester Nonionics, 781
Hamdan, S., K. Anuar, and G.R. Mitchell. A Lamellar Liquid Crystal with a Vegetable Oil, 109
R. Lizana, and C.R. Laili. Aqueous and Nonaqueous Microemulsion Systems with a Palm Oil-Base Emollient, 151
See Ahmad, F.B.H.
Hamidah, S. See Ghazali, H.M.
Hammond, E.G. See Huang, H.C.
See Lee, I.
See Liu, L.
Han, T.J. An Improved Phosphorus Assay for Oils Without Carcinogenic Hydrazine Sulfate, 881
Handel, A.P. See Gil, B.
Hanirah, H. See NorAini, I.
Hanna, M.A. See Ali, Y.
See Kalapathy, U.

Hardin, R.T. See Hawrysh, Z.J.
Härröd, M., and I. Elfman. Enzymatic Synthesis of Phosphatidylcholine with Fatty Acids, Isooctane, Carbon Dioxide, and Propane as Solvents, 641
Hatano, M. See Hosokawa, M.
Hatton, T.A. See Alexandridis, P.
Havey, A. See Rangarajan, B.
Hawrysh, Z.J., M.K. Erin, S.S. Kim, and R.T. Hardin. Sensory and Chemical Stability of Tortilla Chips Fried in Canola Oil, Corn Oil, and Partially Hydrogenated Soybean Oil, 1123
Hayes, D.G., and R. Kleiman. Lipase-Catalyzed Synthesis and Properties of Estolides and Their Esters, 1309
R. Kleiman, and B.S. Phillips. The Triglyceride Composition, Structure, and Presence of Estolides in the Oils of *Lesquerella* and Related Species, 559
See Sonnet, P.E.
Hellbardt, S. See Dahlke, B.
Hernandez-Pinzon, I.
Herrera, M.L. See Segura, J.A.
Hettiarachchy, N.S., U. Kalapathy, and D.J. Myers. Alkali-Modified Soy Protein with Improved Adhesive and Hydrophobic Properties, 1461
See Kalapathy, U.
Hidaka, H. See Kamio, K.
Hidalgo, F.J. See Alaiz, M.
Higo, M. See Nishikawa, N.
Hildebrand, D.F. See Grayburn, W.S.
Hill, S.E., and E.G. Perkins. Determination of Oxidation Stability of Soybean Oil with the Oxidative Stability Instrument: Operation Parameter Effects, 741
Hogge, L.R. See Taylor, D.C.
Holliday, L. See Lalonde, J.
Hølmer, G. See Pederson, S.B.
Holzwarth, J.F. See Alexandridis, P.
Horrobin, D.F. See Huang, Y.-S.
Hosamani, K.M. A Minor Source of Vernolic, Malvalic, and Sterculic Acids in *Pithecollobium dulce* (syn. *Inga dulcis*) Seed Oil, 489
Hoshino, E., D. Maruta, Y. Wada, and K. Mori. Hydrolysis of Human Horny Cells by Alkaline Protease: Morphological Observation of the Process, 785
Hosokawa, M., K. Takahashi, Y. Kikuchi, and M. Hatano. Preparation of Therapeutic Phospholipids Through Porcine Pancreatic Phospholipase A_2-Mediated Esterification and Lipozyme-Mediated Acidolysis, 1287
K. Takahashi, N. Miyazaki, and K. Okamura, and M. Hatano. Application of Water Mimics on Preparation of Eicosapentaenoic and Docosahexaenoic Acids Containing Glycerolipids, 421
Hou, C.T. Production of Hydroxy Fatty Acids from Unsaturated Fatty Acids by *Flavobacterium* sp. DS5 Hydratase, a C-10 Positional- and *cis* Unsaturation-Specific Enzyme, 1265
Special Issue: Biotechnology, 1245
Hron Sr., R.J. See Wan, P.J.
Hsu, D. See Farooq, A.
Huang, H.C., E.G. Hammond, C.A. Reitmeier, and D.J. Myers. Properties of Fibers Produced from Soy Protein Isolate by Extrusion and Wet-Spinning, 1453
Huang, J.-K., K.C. Keudell, J. Zhao, W.E. Klopfenstein, L. Wen, M.O. Bagby, A.C. Lanser, R.D. Plattner, R.E. Peterson, T.P. Abbott, and D. Weisleder. Microbial Transformation of 12-Hydroxyoctadecanoic Acid to 5-*n*-Hexyl-Tetrahydrofuran-2-Acetic Acid, 323
Huang, S.-W. See Satue, M.T.
Huang, Y.-S., X. Lin, P.R. Redden, and D.F. Horrobin. *In vitro* Hydrolysis of Natural and Synthetic g-Linolenic Acid-Containing Triacylglycerols by Pancreatic Lipase, 625
Huhtala, A. See Linko, Y.-Y.

I

Ibiyemi, A.S., S.S. Bako, G.O. Ojokuku, and V.O. Fadipe. Thermal Stability of *Thevetia peruviana* Juss Seed Oil, 745
Imbs, A.B., and L.Q. Pham. Lipid Composition of Ten Edible Seed Species from North Vietnam, 957
Inagaki, T. See Nishikawa, N.
Isbell, T.A. See Erhan, S.M.
Iscan, M. See Topallar, H.
Ishida, T. See Yamamura, T.
Ishiguro, T. See Adachi, S.
Işiğigür, A., F. Karaosmanoğlu, and H.A. Aksoy. Characteristics of Safflower Seed Oils of Turkish Origin, 1223
Ismail, A.A. See van de Voort, F.R.
Isono, Y., H. Nabetani, and M. Nakajima. Wax Ester Synthesis in a Membrane Reactor with Lipase–Surfactant Complex in Hexane, 887

J

Jennings, B.H. See Akoh, C.C.
Jitoe, A. See Masuda, T.
Joh, Y.-G., E.Y. Brechany, and W.W. Christie. Characterization of Wax Esters in the Roe Oil of Amber Fish, *Seriola aureovittata*, 707
S.-J., Kim, and W.W. Christie. The Structure of the Triacylglycerols, Containing Punicic Acid, in the Seed Oil of *Trichosanthes kirilowii*, 1037
Johansson, D. The Influence of Temperature on Interactions and Structures in Semisolid Fats, 1091
and B. Bergenståhl. Lecithins in Oil-Continuous Emulsions. Fat Crystal Wetting and Interfacial Tension, 205
and B. Bergenståhl. Sintering of Fat Crystal Networks in Oil During Post-Crystallization Processes, 911
and B. Bergenståhl. Wetting of Fat Crystals by Triglyceride Oil and Water. 2. Adhesion to the Oil/Water Interface, 933
B. Bergenståhl, and E. Lundgren. Water-in-Triglyceride oil Emulsions. Effect of Fat Crystals on Stability, 939
B. Bergenståhl, and E. Lundgren. Wetting of Fat Crystals by Triglyceride Oil and Water. 1. The Effect of Additives, 921
Weak Gels of Fat Crystals in Oils at Low Temperatures and Their Fractal Nature, 1235
Johnson, L.A. See Lee, I.
Jordan, J.M. See Sherry, A.E.
Jørgensen, L. See Aursand, M.
Joubran, R., N. Parris, R. Dudley, and P. Cooke. Quantitative Analysis of Oil Removal from Cotton Fabrics Through the *in situ* Formation of Microemulsions by Solid-State Nuclear Magnetic Resonance, 799
Jun, W. See Haas, M.J.

K

Kabir-ud-Din, See Kumar, S.
Kadhum, A.A.H. See Myint, S.
Kagan, H.M. See Rosenblat, G.
Kalapathy, U., N.S. Hettiarachchy, D. Myers, and M.A. Hanna. Modification of Soy Proteins and Their Adhesive Properties on Woods, 507
See Hettiarachchy, N.S.
Kale, V. See Ravikumar, Y.V.L.
Kallio, H. See Manninen, P.
Kamal-Eldin, A., and L.Å. Appelqvist. The Effects of Extraction Methods on Sesame Oil Stability, 967
Sesame Oil Is Very Low in Linolenic Acid, 1087
Kamata, K. See Kamio, K.
Kamio, K., K. Kamata, S. Mima, T. Kuroda, H. Ookawara, M. Moriya, and H. Hidaka. Surface-Active Properties and Thermal Behavior of S-Alkylthio-Carboxylic Acids and Their Potassium Salts, 805
Karaosmanoğlu, F. See Işiğigür, A.
Keudell, K.C. See Huang, J.-K.
Khan, A.A. See Vishwanadham, B.
Kida, T., K. Yurugi, A. Masuyama, Y. Nakatsuji, D. Ono, and T. Takeda. Preparation and Properties of New Surfactants Containing

D-Glucosamine as the Building Block, 773
Kigawa, H. See Nishikawa, N.
Kikuchi, Y. See Hosokawa, M.
Kilara, A. See Vaghela, M.N.
Kim, O.-S., K. Maekawa, and K. Kusuda. Cyclic Voltammetry of Lipophilic Compounds in Oil: Direct Determination of Lipid Peroxide with a Carbon Past Electrode, 299
Kim, S.-J. See Joh, Y.-G.
Kim, S.S. See Hawrysh, Z.J.
Kirti, See Kumar, S.
Kissa, E. Coffee Stain on Textiles. Mechanisms of Staining and Stain Removal, 793
Kleiman, R. See Erhan, S.M.
See Hayes, D.G.
Klopfenstein, W.E. See Huang, J.-K.
Knez, Ž., V. Rižner, M. Habulin, and D. Bauman. Enzymatic Synthesis of Oleyl Oleate in Dense Fluids, 1345
Knoell, J.C. See Nace, V.M.
Knothe, G., M.O. Bagby, and D. Weisleder. Fatty Alcohols Through Hydroxylation of Symmetrical Alkenes with Selenium Dioxide/*tert.*-Butylhydroperoxide, 1021
M.O. Bagby, D. Weisleder, and R.E. Peterson. Allylic Hydroxy Fatty Compounds with D5-, D7-, D8-, and D10-Unsaturation, 703
R.O. Dunn, and M.O. Bagby. Surface Tension Studies on Novel Allylic Mono- and Dihydroxy Fatty Compounds. A Method to Distinguish *erythro/threo* Diastereomers, 43
Kobayashi, S. See Tsuzuki, W.
Koehler, P.E. See Shieh, C.-J.
Konishi, H., W.E. Neff, and T.L. Mounts. Oxidative Stability of Soybean Oil Products Obtained by Regioselective Chemical Interesterification, 1393
Kosaric, N. See Zhou, Q.-H.
Kosugi, Y., K. Takahashi, and C. Lopez. Large-Scale Immobilization of Lipase from *Pseudomonas fluorescens* Biotype I and an Application for Sardine Oil Hydrolysis, 1281
and N. Tomizuka. Continuous Lipolysis Reactor with a Loop Connecting an Immobilized Lipase Column and an Oil–Water Separator, 1329
Kovalski, C. See Evetts, S.
Kowtha, B.J. See Seo, C.W.
Kravetz, L. See Dubey, S.T.
Krochta, J.M. See Fairley, P.
Kuk, M.S. See Wan, P.J.
Kumar, S., Kirti, K. Kumari, and Kabir-ud-Din. Role of Alkanols in Micellar Growth: A Viscometric Study, 817
See Mohammad, A.
Kumari, K. See Kumar, S.
Kuroda, T. See Kamio, K.
Kusuda, K. See Kim, O.-S.
Kvittingen, L. See Sjursnes, B.J.

L

Laakso, P. See Manninen, P.
Laili, C.R. See Hamdan, S.
Lajoie, G. See Thomson, B.
Lalonde, J., E.J. Witte, M.L. O'Connell, and L. Holliday. Protease Stabilization by Highly Concentrated Anionic Surfactant Mixtures, 53
Lamberto, M., and M. Saitta. Principal Component Analysis in Fast Atom Bombardment–Mass Spectrometry of Triacylglycerols in Edible Oils, 867
Lämsä, M. See Linko, Y.-Y.
Lankin, M.E. See Sonnet, P.E.
Lanser, A.C. See Huang, J.-K.
Lanzani, A. See Bondioli, P.
Laskawy, G. See Guth, H.
Leborgne, L. See Farines, M.
Ledward, D.A. See Cheah, P.B.
Lee, I., L.A. Johnson, and E.G. Hammond. Use of Branched-Chain Esters to Reduce the Crystallization Temperature of Biodiesel, 1155
S.H. Fatemi, E.G. Hammond, and P.J. White. Quantitation of Flavor Volatiles in Oxidized Soybean Oil by Dynamic Headspace Analysis, 539
Legoy, M.D. See Charlemagne, D.
Lei, X.-G. See Wang, G.-W.
Lercker, G. See Penazzi, G.
Levin, M. See Evetts, S.
Lie Ken Jie, M.S.F., and M.S.K. Syed Rahmatullah. Enzymatic Enrichment of C_{20} *cis*-5 Polyunsaturated Fatty Acids from *Biota orientalis* Seed Oil, 245
and M.S.K. Syed Rahmatullah. Lipase-Catalyzed Reactions Involving Thia Fatty Acids and Ester Derivatives, 1381
Liew, K.Y., C.E. Seng, and S.B. Teoh. Comments on the Anomalous Thermoacoustic Properties of Methyl Heptanoate at 318 K, 1595
See Teoh, S.B.
Lillard, D.A. See Akoh, C.C.
Lin, C.-W. See Wang, F.-S.
Lin, H.S. See Mossoba, M.M.
Lin, X. See Huang, Y.-S.
Linko, Y.-Y., M. Lämsä, A. Huhtala, and O. Rantanen. Lipase Biocatalysis in the Production of Esters, 1293
List, G.R., T.L. Mounts, F. Orthoefer, and W.E. Neff. Margarine and Shortening Oils by Interesterification of Liquid and Trisaturated Triglycerides, 379
R. Pelloso, F. Orthoefer, M. Chrysam, and T.L. Mounts. Preparation and Properties of Zero *Trans* Soybean Oil Margarines, 383
Liu, H., C.G. Biliaderis, R. Przybylski, and N.A.M. Eskin. Solvent Effects on Phase Transition Behavior of Canola Oil Sediment, 603
Liu, K., F. Orthoefer, and E.A. Brown. Association of Seed Size with Genotypic Variation in the Chemical Constituents of Soybeans, 189
Liu, K.-J., and J.-F. Shaw. Synthesis of Propylene Glycol Monoesters of Docosahexaenoic Acid and Eicosapentaenoic Acid by Lipase-Catalyzed Esterification in Organic Solvents, 1271
Liu, L., and E.G. Hammond. Phenylethyl Esters of Fatty Acids for the Analytical Resolution of Petroselinate and Oleate, 749
Liu, Y.-C. See Wang, G.-W.
Lizana, R. See Hamdan, S.
Login, R.B. Pyrrolidone-Based Surfactants (a literature review), 759
Lois, E. See Stournas, S.
Lopez, C. See Kosugi, Y.
Lotan, N. See Werman, M.J.
Lundgren, E. See Johansson, D.

M

Mabry, T.J. See Masuda, T.
MacKenzie, S.L. See Taylor, D.C.
Maekawa, K. See Kim, O.-S.
Maekawa, T. See Esumi, K.
Maheshwari, P., E.T. Ooi, and Z.L. Nikolov. Off-Flavor Removal from Soy-Protein Isolate by Using Liquid and Supercritical Carbon Dioxide, 1107
Majumdar, G.C., A.N. Samanta, and S.P. Sengupta. Modeling Solvent Extraction of Vegetable Oil in a Packed Bed, 971
Maness, N.O., D. Chrz, T. Pierce, and G.H. Brusewitz. Quantitative Extraction of Pecan Oil from Small Samples with Supercritical Carbon Dioxide, 665
Manninen, P., P. Laakso, and H. Kallio. Method for Characterization of Triacylglycerols and Fat-Soluble Vitamins in Edible Oils and Fats by Supercritical Fluid Chromatography, 1001
Maroto, B. See Camusso, C.
Márquez-Ruiz, G., M. Tasioula-Margari, and M.C. Dobarganes. Quantitation and Distribution of Altered Fatty Acids in Frying Fats, 1171
Marshall, R.T. See Breeding, C.J.
Maruta, D. See Hoshino, E.

Maruyama, K. See Shimada, Y.
Masjuki, H.H., and S.M. Sapuan. Palm Oil Methyl Esters as Lubricant Additive in a Small Diesel Engine, 609
See Sii, H.S.
Masuda, T., A. Jitoe, and T.J. Mabry. Isolation and Structure Determination of Cassumunarins A, B, and C: New Anti-Inflammatory Antioxidants from a Tropical Giner, *Zingiber cassumunar*, 1053
Masuyama, A. See Kida, T.
See Ono, D.
Matsuno, R. See Lee, I.
Matsushita, M. See Andrade, A.D.
Matsutani, S. See Nishikawa, N.
Matsuyama, Y. See Suzuki, T.
McCurdy, S. See Thakor, N.J.
McDonald, R.E. See Mossoba, M.M.
McGill, A.E.J. See Wesley, I.J.
McGregor, I. See Thakor, N.J.
McNeill, G.P., and P.E. Sonnet. Low-Calorie Triglyceride Synthesis by Lipase-Catalyzed Esterification of Monoglycerides, 1301
and P.E. Sonnet. Isolation of Erucic Acid from Rapeseed Oil by Lipase-Catalyzed Hydrolysis, 213
See Sonnet, P.E.
McNerlan, S. See Al-Duri, B.
Mehreteab, A., and B. Chen. Fluorescence Technique for the Determination of Low Critical Micelle Concentrations, 49
See Farooq, A.
See Rouse, J.
Mehta, R.L., and J.F. Zayas. Antioxidative Effect of Ajowan in a Model System, 1215
Mendez-Montealvo, G. See Toro-Vazquez, J.F.
Mercuri, F. See Dadarlat, D.
Meyer, S.R., and L. Rebrovic. The Spectroscopic Quinoidal Ion Method for the Analysis of Carbonyl Compounds, 385
Millan, F., M. Alaiz, I. Hernandez-Pinzon, R. Sanchez-Vioque, and J. Bautista. Study of Neutral Lipids of *Lupinus mutabilis* Meal and Isolates, 467
Miller, J.H., D.A. Quebedeaux, and J.D. Sauer. Amine Oxide/Alcohol Ethoxylate Blends: Zero-Phosphate, High-Performance, Hard-Surface Cleaners, 857
Mima, S. See Kamio, K.
Minor, H.C., E.A. Brown, and M.S. Zimmerman. Developing Soybean Varieties with Genetic Resistance to *Phomopsis* spp., 1431
Mitchell, G.R. See Hamdan, S.
Miyajima, K. See Ogura, I.
Miyazaki, N. See Hosokawa, M.
Moese, R.L. See Sherry, A.E.
Mogi, K. See Basheer, S.
Mohamed, A. See Sun, H.
Mohamad, A.B. See Myint, S.
Mohammad, A., S. Tiwari, J.P. Singh Chahar, and S. Kumar. Water-in-Oil Microemulsion as Mobile Phase in Thin-Layer Chromatographic Retention Studies of Anions, 1533
Molever, K. A Novel Sample Preparation for Chloride Analysis in Bar Soaps, 161
Molina Grima, E. See Robles Medina, A.
Monino, A.G. See Denkewicz Jr., R.P.
Montaudoin, M.G. See Farines, M.
Montet, D. See Villeneuve, P.
Moreno, A. See Cohen, L.
Mori, K. See Hoshino, E.
Morishita, T. See Sato, T.
Moriya, M. See Kamio, K.
Mossoba, M.M., M.P. Yurawecz, J.A.G. Roach, H.S. Lin, R.E. McDonald, B.D. Flickinger, and E.G. Perkins. Elucidation of Cyclic Fatty Acid Monomer Structures. Cyclic and Bicyclic Ring Sizes and Double Bond Position and Configuration, 721
Mounts, T.L. See Konishi, H.
See List, G.R.
Mozaffar, Z., and J.D. Weete. Invert Emulsion as a Medium for Fungal Lipase Activity, 1361
Mukherjee, K.D. See Weber, N.
Mustranta, A. See Aura, A.-M.
Myers, D.J. See Hettiarachchy, N.S.
See Huang, H.C.
See Kalapathy, U.
Myers, M.R. See Artz, W.E.
Myint, S., W.R.W. Daud, A.B. Mohamad, and A.A.H. Kadhum. Separation and Identification of Eugenol in Ethanol Extract of Cloves by Reversed-Phase High-Performance Liquid Chromatography, 1231
Myrnes, B., H. Barstad, R.L. Olsen, and E.O. Elvevoll. Solvent-Free Enzymatic Glycerolysis of Marine Oils, 1339

N

Nabetani, H. See Isono, Y.
Nace, V.M., and J.C. Knoell. Nonionic Surfactant Polarity Index Determination by Inverse Gas Chromatography, 89
Nag, A., S. Bhattacharya, and K.B. De. New Utilization of Vegetable Oils, 1591
T.K. Chaki, and K.B. De. Factice from Oil of *Putranjiva roxburghii*, 391
Nagao, T. See Shimada, Y.
Nakajima, M. See Basheer, S.
See Isono, Y.
Nakamura, H. See Hama, I.
Nakamura, H. See Ono, D.
See Shimada, Y.
Nakano, H. See Shimada, Y.
Nakatani, K. See Yamamura, T.
Nakatsuji, Y. See Kida, T.
See Ono, D.
Nakayama, S. See Shimada, Y.
Neeman, I. See Rosenblat, G.
See Werman, M.J.
Neff, W.E., and W.C. Byrdwell. Soybean Oil Triacylglycerol Analysis by Reversed-Phase High-Performance Liquid Chromatography Coupled with Atmospheric Pressure Chemical Ionization Mass Spectrometry, 1185
See Konishi, H.
See List, G.R.
Neill, P. See Stemp, A.
Nesheim, S., and G.E. Wood. Regulatory Aspects of Mycotoxins in Soybean and Soybean Products, 1421
Ng, W.-L. See Siew, W.-L.
Nguyen, H. See Wiesenborn, D.
Nikolov, Z.L. See Maheshwari, P.
Nishida, S. See Fujiwara, M.
Nishikawa, N., K. Yamada, S. Matsutani, M. Higo, H. Kigawa and T. Inagaki. Structures of Ozonolysis Products of methyl Oleate Obtained in a Carboxylic Acid Medium, 735
Nishiyama, T. See Yamamura, T.
Noda, T. See Sato, T.
Noiret, N. See Gruiec, R.
Nolasco, S.M. See Wiese, B.
NorAini, I., H. Hanirah, N. Sudin, Flingoh C.H. Oh, and T.S. Tang. Clarity of Blends of Double-Fractionated Palm Olein with Low-Erucic Acid Rapeseed Oil, 443
Novitzky, W.P. See Wilson, R.F.
Nuñez, A. See Piazza, G.J.

O

O'Connell, M.L. See Lalonde, J.
Ogura, I., D.L. DuVal, and K. Miyajima. Characterization of Brighteners in Detergents by High-Performance Liquid Chromatography/Mass

Spectrometry/Ultraviolet/Fluorescence and Three-Dimensional High-Performance Liquid Chromatography, 827
Oh, F.C.H. See NorAini, I.
Ohta, Y. See Tano-Debrah, K.
Ojokuku, G.O. See Ibiyemi, A.S.
Okamoto, T. See Hama, I.
Okamura, K. See Hosokawa, M.
Olsen, R.L. See Myrnes, B.
Olson, D.J. See Taylor, D.C.
Omura, K. Antioxidant Synergism Between Butylated Hydroxyanisole and Butylated Hydroxytoluene, 1565
Ono, D., S. Yamamura, M. Nakamura, T. Takeda, A. Masuyama, and Y. Nakatsuji. Biodegradation of Different Carboxylate Types of Cleavable Surfactants Bearing a 1,3-Dioxolane Ring, 853
See Kida, T.
Ooi, E.T. See Maheshwari, P.
Ooi, K.S. See Gan, L.H.
Ookawara, H. See Kamio, K.
Orthoefer, F. See List, G.R.
See Liu, K.
Osman, S. See Sonnet, P.E.

P

Paetow, M. See Dahlke, B.
Paine, A. See Thomson, B.
Pakarinen, D.R. See Wan, P.J.
Parker, C.A. See Proctor, A.
Parmentier, M. See Bornaz, S.
Parra, J.L. See Coderch, L.
See de la Maza, A.
Parris, N. See Joubran, R.
Pastor, J. See Vioque, J.
Patel, R.N., A. Banerjee, and L.J. Szarka. Synthesis of Four Chiral Pharmaceutical Intermediates by Biocatalysis, 1247
Patin, H. See Gruiec, R.
Pederson, S.B., and G. Hølmer. Studies of the Fatty Acid Specificity of the Lipase from *Rhizomucor miehei* Toward 20:1n-9, 20:5n-3, 22:1n-9 and 22:6n-3, 239
Pelloso, R. See List, G.R.
Penazzi, G., M.F. Caboni, P. Zunin, F. Evangelisti, E. Tiscornia, T. Gallina Toschi, T., and G. Lercker. Routine High-Performance Liquid Chromatographic Determination of Free 7-Ketocholesterol in Some Foods by Two Different Analytical Methods, 1523
Perkins, E.G. See Hill, S.E.
See Mossoba, M.M.
Peterson, R.E. See Huang, J.-K.
See Knothe, G.
Pham, L.Q. See Imbs, A.B.
Phillips, B.S. See Hayes, D.G.
Phillips, R.S. See Yee, L.N.
Piazza, G.J., and A. Nuñez. Oxidation of Acylglycerols and Phosphoglycerides by Soybean Lipoxygenase, 463
Pierce, T. See Maness, N.O.
Pina, M. See Villeneuve, P.
Plattner, R.D. See Huang, J.-K.
Pollak, L.M. See Dunlap, F.G.
Pontillon, J. Determination of Milk Fat in Chocolates by Gas–Liquid Chromatography of Triglycerides and Fatty Acids, 861
Poutanen, K. See Aura, A.-M.
Prabhakar, J.V. See Gopala Krishna, A.G.
Proctor, A., C. Adhikari, and G.D. Blyholder. Mode of Oleic Acid Adsorption on Rice Hull Ash Cristobalite, 331
P.K. Clark, and C.A. Parker. Rice Hull Ash Adsorbent Performance Under Commercial Soy Oil Bleaching Conditions, 459
See Adhikari, C.
Prodolliet, J. See Dionisi, F.
Przybylski, R. See Liu, H.
Putnam, D.H. See Budin, J.T.

Q

Quebedeaux, D.A. See Miller, J.H.
Quiroga, O.E. See Wiese, B.

R

Rajaiah, A. Subrahmanyam, M.S.R
Rancurel, A. See Farines, M.
Rangarajan, B., A. Havey, E.A. Grulke, and P.D. Culnan. Kinetic Parameters of a Two-Phase Model for *in situ* Epoxidation of Soybean Oil, 1161
Rantanen, O. See Linko, Y.-Y.
Rao, J.V. See Cole, S.
Ravikumar, Y.V.L., and V. Kale. Isobaric Vapor–Liquid Equilibrium Data for the System: Heptaldehyde–Methyl Undecenoate, 395
Ray, S., and D.K. Bhattacharyya. Comparative Nutritional Study of Enzymatically and Chemically Interesterified Palm Oil Products, 327
Rayas-Duarte, P. See Sun, H.
Razak, C.N.A. See Basri, M.
Rebrovic, L. See Meyer, S.R.
Redden, P.R. See Huang, Y.-S.
Reed, D.W. See Taylor, D.C.
Reitmeier, C.A. See Huang, H.C.
Richard, O.A. See Conkerton, E.J.
Richard, O.L. See Wan, P.J.
Rižner, V. See Knez, Ž.
Roach, J.A.G. See Mossoba, M.M.
Robinson, E. See Al-Duri, B.
Robles Medina, A., G. Giménez Giménez, F. García Camacho, J.A. Sánchez Pérez, E. Molina Grima, and A. Contreras Gómez. Concentration and Purification of Stearidonic, Eicosapentaenoic, and Docosahexaenoic Acids from Cod Liver Oil and the Marine Microalga *Isochrysis galbana*, 575
Romero, A., F.J. Sánchez-Muniz, C. Tulasne, and C. Cuesta. High-Performance Size-Exclusion Chromatographic Studies on a High-Oleic Acid Sunflower Oil During Potato Frying, 1513
Rosenblat, G., H.M. Kagan, M.A. Shah, G. Spiteller, and I. Neeman. Chemical Characterization of Lysyl Oxidase Inhibitor from Avocado Seed Oil, 225
Rothfus, J.A. Potential β-Sheet Surfaces of Soybean Seed Proteins, 501
Rouse, J., S.T. Adamy, A. Mehreteab, and G. Broze. Automation of Phase Diagram Recording, 37
Rubino, M.I., S.D. Arntfield, and J.L. Charlton. Conversion of Phenolics to Lignans: Sinapic Acid to Thomasidioic Acid, 1465
Rubira, A.F. See Andrade, A.D.
Rudin, A. See Thomson, B.
Russ, D.E. See Denkewicz Jr., R.P.

S

Saarem, K. See Burkow, I.C.
Sai, G.U-A. See van de Scheur, F.Th.
Sai, S. See Yamamura, T.
Saitta, M. See Lamberto, M.
Sakai, S. See Sato, T.
Sala, M. See Bondioli, P.
Salanitro, J.P. See Dubey, S.T.
Salleh, A.B. See Basri, M.
Samanta, A.N. See Majumdar, G.C.
Sánchez-Muniz, F.J. See Romero, A.
Sánchez Pérez, J.A. See Robles Medina, A.
Sanchez-Vioque, R. See Millan, F.
Sapuan, S.M. See Masjuki, H.H.

Sato, T., Y. Takahata, T. Noda, T. Yanagisawa, T. Morishita, and S. Sakai. Nondestructive Determination of Fatty Acid Composition of Husked Sunflower (*Helianthus annua* L.) Seeds by Near-Infrared Spectroscopy, 1177
Sesame Oil Is Very Low in Linoleic Acid: A Reply, 1089
Satue, M.T., S.-W. Huang, and E.N. Frankel. Effect of Natural Antioxidants in Virgin Olive Oil on Oxidative Stability of Refined, Bleached, and Deodorized Olive Oil, 1131
Sauer, J.D. See Miller, J.H.
Scarsella, M. See De Filippis, P.
Schuchardt, U.F. See Gelbard, G.
Scott, K. See Haas, M.J.
Sedman, J. See van de Voort, F.R.
Segura, J.A., M.L. Herrera, and M.C. Añón. Margarines: A Rheological Study, 375
Seng, C.E. See Liew, K.Y.
See Teoh, S.B.
Sengupta, S.P. See Majumdar, G.C.
Seo, C.W., B.J. Kowtha, and S. Williamson. Cholesterol and Total Fat Content in Farm-Raised Channel Catfish Cultured in North Carolina, 1583
Serdari, A. See Stournas, S.
Shah, M.A. See Rosenblat, G.
Shaw, J.-F. See Liu, K.-J.
Sherry, A.E., B.E. Chapman, M.T. Creedon, J.M. Jordan, and R.L. Moese. Nonbleach Process for the Purification of Palm C16–18 Methyl Ester Sulfonates, 835
Sherry, H.S. See Denkewicz Jr., R.P.
Shieh, C.-J., C.C. Akoh, and P.E. Koehler. Four-Factor Response Surface Optimization of the Enzymatic Modification of Triolein to Structured Lipids, 619
Shimada, Y., K. Maruyama, M. Nakamura, S. Nakayama, A. Sugihara, and Y. Tominaga. Selective Hydrolysis of Polyunsaturated Fatty Acid-Containing Oil with *Geotrichum candidum* Lipase, 1577
A. Sugihara, K. Maruyama, T. Nagao, S. Nakayama, H. Nakano, and Y. Tominaga. Enrichment of Arachidonic Acid: Selective Hydrolysis of a Single-Cell Oil from *Mortierella* with *Candida cylindracea* Lipase, 1323
Shimizu, S. See Shirasaka, N.
Shirasaka, N., and S. Shimizu. Production of Eicosapentaenoic Acid by *Saprolegnia* sp. 28YTF-1, 1545
Siew, W.-L., and W.-L. Ng. Partition Coefficient of Diglycerides in Crystallization of Palm Oil, 591
C.-L., Chong, and Y.-A. Tan. Composition of the Oil in Palm Kernel from *Elaeis guineensis*, 1587
Sii, H.S., H. Masjuki, and A.M. Zaki. Dynamometer Evaluation and Engine Wear Characteristics of Palm Oil Diesel Emulsions, 905
Sinclair, J.B. Reevaluation of Grading Standards and Discounts for Fungus-Damaged Soybean Seeds, 1415
Singh Chahar, J.P. See Mohammad, A.
Singleton, J.A., and L.F. Stikeleather. High-Performance Liquid Chromatography Analysis of Peanut Phospholipids. I. Injection System for Simultaneous Concentration and Separation of Phospholipids, 481
and L.F. Stikeleather. High-Performance Liquid Chromatography Analysis of Peanut Phospholipids. II. Effect of Postharvest Stress on Phospholipid Composition, 485
Sivik, B. See Gunnlaugsdottir, H.
Sjursnes, B.J., L. Kvittingen, and T. Anthonsen. Regioselective Lipase-Catalyzed Transesterification of Tributyrin. Influence of Salt Hydrates on Acyl Migration, 533
Snape, J.B. See Basheer, S.
Sokhansanj, S. See Thakor, N.J.
Sonnet, P.E., and D. Hayes. Configurational Purity of Lesquerolic Acid, 1069
and S. Osman. Radical Chlorinations of Triglycerides, 369
See Foglia, T.A.
M.E. Lankin, and G.P. McNeill. Reactions of Dioxiranes with Selected Oleochemicals, 199
See McNeill, G.P.
Soriano, C. See Coderch, L.
Sorrentino, M. See De Filippis, P.
Soulier, J. See Farines, M.
Souza, N.E. See Andrade, A.D.
Spiteller, G. See Rosenblat, G.
Spitzer, V. The Mass Spectra of the 4,4-Dimethyloxazoline Derivatives of the Methoxymethyl Olefins of Malvalic and Sterculic Acids, 389
Staal, L.H. See van de Scheur, F.Th.
Stafford, M. See Evetts, S.
Stemp, A., V.A. Boriraj, P. Walling, and P. Neill. Ion-Chromatographic Characterization of Ethoxylated Anionic Surfactants, 17
Stikeleather, L.F. See Singleton, J.A.
Stournas, S., E. Lois, and A. Serdari. Effects of Fatty Acid Derivatives on the Ignition Quality and Cold Flow of Diesel Fuel, 433
Subrahmanyam, M.S.R., H. Sumathi Vedanayagam, D. Venkatashwar Rao, A. Rajaiah, and P. Venkatacharyulu. Estimation of Sharma Constant and Thermoacoustic Properties of Fatty Acids, 1537
Sudin, N. See NorAini, I.
Sugihara, A. See Shimada, Y.
Sumathi Vedanayagam, H. See Subrahmanyam, M.S.R
Sun, H., D. Wiesenborn, P. Rayas-Duarte, A. Mohamed, and K. Hagen. Bench-Scale Processing of Amaranth Seed for Oil, 1551
Suzuki, T., and Y. Matsuyama. Determination of Free Fatty Acids in Marine Phytoplankton Causing Red Tides by Fluorometric High-Performance Liquid Chromatography, 1211
Suzuki, T. See Tsuzuki, W.
Swe, P.Z., Y.B. Che Man, and H.M. Ghazali. Composition of Crystals of Palm Olein Formed at Room Temperature, 343
See Che Man, Y.B.
Syed Rahmatullah, M.S.K. See Lie Ken Jie, M.S.F.
Szarka, L.J. See Patel, R.N.

T

Tagliaferri, E. See Dionisi, F.
Takagi, T., and Y. Ando. Stereospecific Analysis of Monounsaturated Triacylglycerols in Cocoa Butter, 1203
Takahashi, Koretaro See Hosokawa, M.
Takahashi, Katsuo See Kosugi, Y.
Takahata, Y. See Sato, T.
Takaishi, N. See Urata, K.
Takeda, T. See Kida, T.
See Ono, D.
Tamura, T. See Fujiwara, M.
Tan, Y.-A. See Siew, W.-L.
Tanaka, K. See Yamamura, T.
Tang, T.S. See NorAini, I.
Tano-Debrah, K., and Y. Ohta. Application of Enzyme-Assisted Aqueous Fat Extraction to Cocoa Fat, 1409
and Y. Ohta. Enzyme-Assisted Aqueous Extraction of Shea Fat: A Rural Approach, 251
Tasioula-Margari, M. See Márquez-Ruiz, G.
Taylor, D.C., E.M. Giblin, D.W. Reed, L.R. Hogge, D.J. Olson, S.L. MacKenzie. Stereospecific Analysis and Mass Spectrometry of Triacylglycerols from *Arabidopsis thaliana* (L). Heynh. Columbia Seed, 305
Temelli, F. See Dunford, N.T.
Teoh, S.B., C.E. Seng, and K.Y. Liew. Effect of Temperature and Chainlength on the Densities and Molal Volumes of *n*-Alkyl Chlorides, 1227
See Liew, K.Y.
Thakor, N.J., S. Sokhansanj, I. McGregor, and S. McCurdy. Dehulling of Canola by Hydrothermal Treatments, 597
Thomson, B., Z. Wang, A. Paine, A. Rudin, and G. Lajoie. Surfactant Analysis by Matrix-Assisted Laser Desorption Time-of-Flight Mass

Spectrometry, 11
Tiscornia, E. See Penazzi, G.
Tiwari, P.N., and P.N. Gambhir. Seed Oil Determination Without Weighing and Drying the Seeds by Combined Free Induction Decay and Spin-Echo Nuclear Magnetic Resonance Signals, 1017
Tiwari, S. See Mohammad, A.
Tominaga, Y. See Shimada, Y.
Tomiyama, S. See Yamamura, T.
Tomizuka, N. See Kosugi, Y.
Topallar, H., Y. Bayrak, and M. Iscan. Effect of Hydrogenation on Density and Viscosity of Sunflowerseed Oil, 1519
Toro-Vazquez, J.F., and G. Mendez-Montealvo. Competitive Adsorption Among Sesame Oil Components in a Concentrated Miscella System, 675
Tsuzuki, W., K. Akasaka, S. Kobayashi, and T. Suzuki. Kinetics of Organic Solvent-Soluble and Native Lipase, 1333
Tulasne, C. See Romero, A.

U

Udayasekhara Rao, P. Effect of Germination on Tannin, Mineral, and Trace Element Composition of Groundnut Varieties, 477
Upchurch, R.G. Genetic Regulation of Cercosporin Production in *Cercospora kikuchii*, 1435
Urata, K., S. Yano, and N. Takaishi. Preparations and Reactions of Alkyl Ethers of Some Aldohexoses, 73

V

Vaghela, M.N., and A. Kilara. A Rapid Method for Extraction of Total Lipids from Whey Protein Concentrates and Separation of Lipid Classes with Solid Phase Extraction, 1117
and A. Kilara. Quantitative Analysis of Phospholipids from Whey Protein Concentrates by High-Performance Liquid Chromatography with a Narrow-bore Column and an Evaporative Light-Scattering Detector, 729
van de Voort, F.R., A.A. Ismail, and J. Sedman. A Rapid, Automated Method for the Determination of *cis* and *trans* Content of Fats and Oils by Fourier Transform Infrared Spectroscopy, 873
van de Scheur, F.Th., G.U-A Sai, A. Bliek, and L.H. Staal. The Effect of Free Fatty Acid on the Reactivity of Copper-Based Catalysts for the Hydrogenolysis of Fatty Acid Methyl Esters, 1027
Van der Meeren, P. See De Meulenaer, B.
Vanderdeelen, J. See De Meulenaer, B.
Vargas, R.M. See Gelbard, G.
Venkatacharyulu, P. See Cole, S.
See Subrahmanyam, M.S.R
Venkatashwar Rao, D. Subrahmanyam, M.S.R
Vergara, R. See Cohen, L.
Veronese, S. See Bondioli, P.
Vielfaure, F. See Gelbard, G.
Vigo, M.S. See Wiese, B.
Vikersveen, L. See Burkow, I.C.
Villeneuve, P., M. Pina, D. Montet, and J. Graille. *Carica papaya* Latex Lipase: *sn*-3 Stereoselectivity or Short-Chain Selectivity? Model Chiral Triglycerides Are Removing the Ambiguity, 753
Vioque, E. See Vioque, J.
Vioque, J., J. Pastor, and E. Vioque. Sterol Composition in *Coincya* (Brassicaceae), 493
Vishwanadham, B., A.A. Khan, and M. Bhagvanth Rao. Reaction Rates of Simultaneous Dehydration and Hydrogenation of Castor Oil, 1033
Visser, H. See Dadarlat, D.
Vosmann, K. See Weber, N.

W

Wada, Y. See Hoshino, E.
Walling, P. See Stemp, A.
Wan, P.J., and D.R. Pakarinen. Comparison of Visual and Automated Colorimeter for Refined and Bleached Cottonseed Oils, 455
D.R. Pakarinen, R.J. Hron, Sr., O.L. Richard, and E.J. Conkerton. Alternative Hydrocarbon Solvents for Cottonseed Extraction, 653
R.J. Hron, Sr., M.K. Dowd, M.S. Kuk, and E.J. Conkerton. Alternative Hydrocarbon Solvents for Cottonseed Extraction: Plant Trials, 661
See Conkerton, E.J.
Wan Yunus, W.M.Z. See Basri, M.
Wang, F.-S., and C.-W. Lin. Turbidimetry for Crystalline Fractionation of Lard, 585
Wang, G.-W., X.-Y. Yuan, Y.-C. Liu, X.-G. Lei, and Q.-X. Guo. Synthesis and Characterization of Cleavable Cationic Surfactants with a 1,3-Dioxane Ring, 83
Wang, Z. See Thomson, B.
Weber, N., K. Vosmann, E. Fehling, K.D. Mukherjee, and D. Bergenthal. Analysis of Hydroxylated Fatty Acids from Plant Oils, 361
Weete, J.D. See Mozaffar, Z.
Weisleder, D. See Huang, J.-K.
See Knothe, G.
Wen, L. See Huang, J.-K.
Werman, M.J., N. Lotan, and I. Neeman. Lipolytic Activity of White Pepper Powder at High Temperatures in a Nonaqueous System, 413
Wesley, I.J., R.J. Barnes, and A.E.J. McGill. Measurement of Adulteration of Olive Oils by Near-Infrared Spectroscopy, 289
White, P.J. See Dunlap, F.G.
See Lee, I.
Wiese, B., O.E. Quiroga, M.S. Vigo, and S.M. Nolasco. Chemical Composition of *Rumex crispus* L. Seed, 1077
Wiesenborn, D., Z. Zbikowski, and H. Nguyen. Process Conditions Affect Pigment Quality and Yield in Extracts of Purple Sunflower Hulls, 183
See Sun, H.
Williamson, S. See Seo, C.W.
Wilson, R.F. Dealing with the Problems of Fungal Damage in Soybean and Other Oilseeds, 1413
W.P. Novitzky, and G.P. Fenner. Effect of Fungal Damage on Seed Composition and Quality of Soybeans, 1425
Witte, E.J. See Lalonde, J.
Wolff, R.L., and C.C. Bayard. Fatty Acid Composition of Some Pine Seed Oils, 1043
and C.C. Bayard. Improvement in the Resolution of Individual *trans*-18:1 Isomers by Capillary Gas–Liquid Chromatography: Use of a 100-m CP-Sil 88 Column, 1197
C.C. Bayard, and R.J. Fabien. Evaluation of Sequential Methods for the Determination of Butterfat Fatty Acid Composition with Emphasis on *trans*-18:1 Acids. Application to the Study of Seasonal Variations in French Butters, 1471
Content and Distribution of *trans*-18:1 Acids in Ruminant Milk and Meat Fats. Their Importance in European Diets and Their Effect on Human Milk, 259
See Bayard, C.C.
Wood, G.E. See Nesheim, S.

Y

Yamada, F. See Yamamura, T.
Yamada, K. See Nishikawa, N.
Yamamura, S. See Ono, D.
Yamamura, T., M. Arashima, K. Nakatani, T. Ishida, F. Yamada, and T. Nishiyama. 9*H*-Xanthene-2,7-Diols as Antioxidants for Autoxidation of Linoleic Acid, 497
K. Tanaka, S. Tomiyama, S. Sai, F. Yamada, and T. Nishiyama. Substituted Thiobisphenoils as Antioxidants: Correlation Between Antioxidant Activities and ^{13}C Chemical Shifts, 1047
Yamane, T. See Bornscheuer, U.T.
Yanagisawa, T. See Sato, T.
Yano, S. See Urata, K.
Yarmo, M.A. See Ahmad, F.B.H.
Yee, L.N., C.C. Akoh, and R.S. Phillips. *Pseudomonas* sp. Lipase-Catalyzed Synthesis of Geranyl Esters by Transesterification, 1407
Yen, G.-C., and P.-D. Duh. Antioxidant Activity of Methanolic Extracts

of Peanut Hulls from Various Cultivars, 1065
Yuan, X.-Y. See Wang, G.-W.
Yurawecz, M.P. See Mossoba, M.M.
Yurugi, K. See Kida, T.

Z

Zaki, A.M. See Sii, H.S.
Zamora, R. See Alaiz, M.
Zayas, J.F. See Mehta, R.L.
Zbikowski, Z. See Wiesenborn, D.
Zech, W.H. See Dahlke, B.
Zhang, Y. See Guth, H.
Zhao, J. See Huang, J.-K.
Zhou, Q.-H., and N. Kosaric. Utilization of Canola Oil and Lactose to Produce Biosurfactant with *Candida bombicola*, 67
Zhu, X. See Fu, X.
Zimmerman, M.S. See Minor, H.C.
Zunin, P. See Penazzi, G.